

REFERENCES

- Egan BM, Zhao Y, Axon RN: US trends in prevalence, awareness, treatment, and control of hypertension, 1988-2008. *JAMA* 303: 2043, 2010. [PMID: 20501926]
- Zampaglione B, Pascale C, Marchisio M, et al: Hypertensive urgencies and emergencies. Prevalence and clinical presentation. *Hypertension* 27: 144, 1996. [PMID: 8591878]
- Karras DJ, Kruus LK, Cienki JJ, et al: Evaluation and treatment of patients with severely elevated blood pressure in academic emergency departments: a multicenter study. *Ann Emerg Med* 47: 230, 2006. [PMID: 16492489]
- Martin JF, Higashiyama E, Garcia E, et al: Hypertensive crisis profile. Prevalence and clinical presentation. *Arq Bras Cardiol* 83: 131, 2004. [PMID: 15322655]
- Rodríguez Cerrillo M, Mateos Hernández P, Fernández Pinilla C, et al: [Hypertensive crises: prevalence and clinical aspects]. *Rev Clin Esp* 202: 255, 2002. [PMID: 12060538]
- Saguner AM, Dür S, Perrig M, et al: Risk factors promoting hypertensive crises: evidence from a longitudinal study. *Am J Hypertens* 23: 775, 2010. [PMID: 20395943]
- Chobanian AV, Bakris GL, Black HR, et al: Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. National Heart, Lung, and Blood Institute; National High Blood Pressure Education Program Coordinating Committee. Seventh report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. *Hypertension* 42: 1206, 2003. [PMID: 14656957]
- Perez MI, Musini VM: Pharmacological interventions for hypertensive emergencies: a Cochrane systematic review. *J Hum Hypertens* 22: 596, 2008. [PMID: 18418399]
- Wolf SJ, Lo B, Shih RD, et al: Clinical policy: critical issues in the evaluation and management of adult patients in the emergency department with asymptomatic elevated blood pressure. *Ann Emerg Med* 62: 59, 2013. [PMID: 23842053]
- Figueiredo VN, Yugar-Toledo JC, Martins LC, et al: Vascular stiffness and endothelial dysfunction: correlations at different levels of blood pressure. *Blood Press* 21: 31, 2012. [PMID: 22029740]
- Blumenfeld JD, Laragh JH: Management of hypertensive crises: the scientific basis for treatment decisions. *Am J Hypertens* 14: 1154, 2001. [PMID: 11724216]
- Shantsila A, Dwivedi G, Shantsila E, et al: Persistent macrovascular and microvascular dysfunction in patients with malignant hypertension. *Hypertension* 57: 490, 2011. [PMID: 21263115]
- van den Born BJ, Löwenberg EC, van der Hoeven NV, et al: Endothelial dysfunction, platelet activation, thrombogenesis and fibrinolysis in patients with hypertensive crisis. *J Hypertens* 29: 922, 2011. [PMID: 21372741]
- Lane D, Beevers M, Barnes N, et al: Inter-arm differences in blood pressure: when are they clinically significant? *J Hypertens* 20: 6, 2002. [PMID: 12023677]
- Agarwal R, Bunay Z, Bekele DM: Prognostic significance of between-arm blood pressure differences. *Hypertension* 51: 657, 2008. [PMID: 18212263]
- Guggiari C, Bula C, Iglesias K, et al: Measurement with an automatic oscillometric wrist device with position sensor leads to lower values than measurements obtained with an automated oscillometric arm device from the same manufacturer in elderly persons. *Blood Press Monit* 19: 32, 2014. [PMID: 24346436]
- Pitts SR, Adams RP: Emergency department hypertension and regression to the mean. *Ann Emerg Med* 31: 214, 1998. [PMID: 9472183]
- Chiang WK, Jamshahi B: Asymptomatic hypertension in the ED. *Am J Emerg Med* 16: 701, 1998. [PMID: 9827753]
- Baumann BM, Abate NL, Cowan RM, et al: Differing prevalence estimates of elevated blood pressure in ED patients using 4 methods of categorization. *Am J Emerg Med* 26: 561, 2008. [PMID: 18534285]
- Qureshi AI, Ezzeddine MA, Nasar A, et al: Prevalence of elevated blood pressure in 563,704 adult patients with stroke presenting to the ED in the United States. *Am J Emerg Med* 25: 32, 2007. [PMID: 17157679]
- Leonardi-Bee J, Bath PM, Phillips SJ, et al: Blood pressure and clinical outcomes in the International Stroke Trial. *Stroke* 33: 1315, 2002. [PMID: 11988609]
- Tsai TT, Fattori R, Trimarchi S, et al: Long-term survival in patients presenting with type B acute aortic dissection: insights from the International Registry of Acute Aortic Dissection. *Circulation* 114: 2226, 2006. [PMID: 17101856]
- Estrera AL, Miller CC 3rd, Safi HJ, et al: Outcomes of medical management of acute type B aortic dissection. *Circulation* 114 (1 Suppl): I384, 2006. [PMID: 16820605]
- Hagan PG, Nienaber CA, Isselbacher EM, et al: The International Registry of Acute Aortic Dissection (IRAD): new insights into an old disease. *JAMA* 283: 897, 2000. [PMID: 10685714]
- Vazquez G, Suri MF, Lakshminarayan K, et al: Prevalence of elevated blood pressure in adult patients presenting to the emergency department. *J Vasc Interv Neurol* 1: 46, 2008. [PMID: 20414369]
- Bangalore S, Messerli FH, Ou FS, et al: Blood pressure paradox in patients with non-ST-segment elevation acute coronary syndromes: results from 139,194 patients in the can rapid risk stratification of unstable angina patients suppress adverse outcomes with early implementation of the American College of Cardiology/American Heart Association Guidelines (CRUSADE) quality improvement initiative. *Am Heart J* 157: 525, 2009. [PMID: 19249424]
- Sinha Y, Saleh M, Weinberg D: Use of heparin in aortic dissection: beware the misdiagnosis of acute pulmonary embolism. *BMJ Case Rep* 2013: 2, 2013. [PMID: 23645649]
- Klompus M: Does this patient have an acute thoracic aortic dissection? *JAMA* 287: 2262, 2002. [PMID: 11980527]
- Sutherland A, Escano J, Coon TP: D-dimer as the sole screening test for acute aortic dissection: a review of the literature. *Ann Emerg Med* 52: 339, 2008. [PMID: 18819176]
- Wen D, Du X, Dong JZ, et al: Value of D-dimer and C reactive protein in predicting in-hospital death in acute aortic dissection. *Heart* 99: 1192, 2013. [PMID: 23813850]
- Strong VE, Kennedy T, Al-Ahmadie H, et al: Prognostic indicators of malignancy in adrenal pheochromocytomas: clinical, histopathologic, and cell cycle/apoptosis gene expression analysis. *Surgery* 143: 759, 2008. [PMID: 18549892]
- Baumann BM, Perrone J, Hornig SE, et al: Randomized, double-blind, placebo-controlled trial of diazepam, nitroglycerin, or both for treatment of patients with potential cocaine-associated acute coronary syndromes. *Acad Emerg Med* 7: 878, 2000. [PMID: 10958127]
- Flockhart DA: Dietary restrictions and drug interactions with monoamine oxidase inhibitors: an update. *J Clin Psychiatry* 73 (Suppl 1): 17, 2012. [PMID: 22951238]
- Karras DJ, Kruus LK, Cienki JJ, et al: Utility of routine testing for patients with asymptomatic severe blood pressure elevation in the emergency department. *Ann Emerg Med* 51: 231, 2008. [PMID: 17499391]
- Ince H, Nienaber CA: Diagnosis and management of patients with aortic dissection. *Heart* 93: 266, 2007. [PMID: 17228080]
- Nienaber CA, Eagle KA: Aortic dissection: new frontiers in diagnosis and management. Part II: therapeutic management and follow-up. *Circulation* 108: 772, 2003. [PMID: 12912795]
- Erbel R, Alfonso F, Boileau C, et al: Task Force on Aortic Dissection, European Society of Cardiology: diagnosis and management of aortic dissection. *Eur Heart J* 22: 1642, 2001. [PMID: 11511117]
- Kim KH, Moon IS, Park JS, et al: Nicardipine hydrochloride injectable phase IV open-label clinical trial: study on the anti-hypertensive effect and safety of nicardipine for acute aortic dissection. *J Int Med Res* 30: 337, 2002. [PMID: 12166354]
- Heart Failure Society of America, Lindenfeld J, Albert NM, et al: HFSA 2010 comprehensive heart failure practice guideline. *J Card Fail* 16: e1, 2010. [PMID: 20610207]
- Weintraub NL, Collins SP, Pang PS, et al: American Heart Association Council on Clinical Cardiology and Council on Cardiopulmonary, Critical Care, Perioperative and Resuscitation. Acute heart failure syndromes: emergency department presentation, treatment, and disposition: current approaches and future aims: a scientific statement from the American Heart Association. *Circulation* 122: 1975, 2010. [PMID: 20937981]
- O'Connor CM, Starling RC, Hernandez AF, et al: American College of Cardiology; American Heart Association Task Force on Practice Guidelines (Writing Committee to Revise the 2002 Guidelines for the Management of Patients With Unstable Angina/Non-ST-Elevation Myocardial Infarction); American College of Emergency Physicians; Society for Cardiovascular Angiography and Interventions; Society of Thoracic Surgeons; American Association of Cardiovascular and Pulmonary Rehabilitation; Society for Academic Emergency Medicine. ACC/AHA 2007 guidelines for the management of patients with unstable angina/non-ST-Elevation myocardial infarction: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Revise the 2002 Guidelines for the Management of Patients With Unstable Angina/Non-ST-Elevation Myocardial Infarction) developed in collaboration with the American College of Emergency Physicians, the Society for Cardiovascular Angiography and Interventions, and the Society of Thoracic Surgeons endorsed by the American Association of Cardiovascular and Pulmonary Rehabilitation and the Society for Academic Emergency Medicine. *J Am Coll Cardiol* 50: e1, 2007. [PMID: 17692738]
- Anderson JL, Adams CD, Antman EM, et al: ACC/AHA 2007 guidelines for the management of patients with unstable angina/non-ST-Elevation myocardial infarction: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Revise the 2002 Guidelines for the Management of Patients With Unstable Angina/Non-ST-Elevation Myocardial Infarction) developed in collaboration with the American College of Emergency Physicians, the Society for Cardiovascular Angiography and Interventions, and the Society of Thoracic Surgeons endorsed by the American Association of Cardiovascular and Pulmonary Rehabilitation and the Society for Academic Emergency Medicine. *J Am Coll Cardiol* 50: e1, 2007. [PMID: 17692738]
- Antman EM, Anbe DT, Armstrong PW, et al: American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Revise the 1999 Guidelines for the Management of Patients With Acute Myocardial Infarction). ACC/AHA guidelines for the management of patients with ST-elevation myocardial infarction—executive summary: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Revise the 1999 Guidelines for the Management of Patients With Acute Myocardial Infarction). *Circulation* 110: 588, 2004. [PMID: 15289388]
- Antman EM, Hand M, Armstrong PW, et al: 2007 Focused Update of the ACC/AHA 2004 Guidelines for the Management of Patients With ST-Elevation Myocardial Infarction: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines: developed in collaboration with the Canadian Cardiovascular Society endorsed by the American Academy of Family Physicians: 2007 Writing Group to Review New Evidence and Update the ACC/AHA 2004 Guidelines for the Management of Patients With ST-Elevation Myocardial Infarction, Writing on Behalf of the 2004 Writing Committee. *Circulation* 117: 296, 2008. [PMID: 18071078]

45. McCord J, Jneid H, Hollander J, et al: Management of cocaine-associated chest pain and myocardial infarction: a scientific statement from the American Heart Association Acute Cardiac Care Committee of the Council on Clinical Cardiology. *Circulation* 117: 1897, 2008. [PMID: 18347214]
46. Marik PE, Varon J: Hypertensive crisis: challenges and management. *Chest* 131: 1949, 2007. [PMID: 17565029]
47. Gardner CJ, Lee K: Hyperperfusion syndromes: insight into the pathophysiology and treatment of hypertensive encephalopathy. *CNS Spectr* 12: 35, 2007. [PMID: 17192762]
48. Sheta MA, Paladugu M, Mendelson J, et al: When should nitroglycerine be avoided in hypertensive encephalopathy? *Hypertension* 58: e187, 2011. [PMID: 21931071]
49. Neutel JM, Smith DH, Wallin D, et al: A comparison of intravenous nicardipine and sodium nitroprusside in the immediate treatment of severe hypertension. *Am J Hypertens* 7: 623, 1994. [PMID: 7946164]
50. Bodmann KE, Troster S, Clemens R, et al: Hemodynamic profile of intravenous fenoldopam in patients with hypertensive crisis. *Clin Invest* 72: 60, 1993.
51. Noviawaty I, Uzun G, Qureshi AI: Drug evaluation of clevidipine for acute hypertension. *Expert Opin Pharmacother* 9: 2519, 2008. [PMID: 18778189]
52. Connolly ES Jr, Rabinstein AA, Carhuapoma JR, et al: Council on Cardiovascular Radiology and Intervention; Council on Cardiovascular Nursing; Council on Cardiovascular Surgery and Anesthesia; Council on Clinical Cardiology. Guidelines for the management of aneurysmal subarachnoid hemorrhage: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke* 43: 1711, 2012. [PMID: 22556195]
53. Shen J, Pan JW, Fan ZX, et al: Dissociation of vasospasm-related morbidity and outcomes in patients with aneurysmal subarachnoid hemorrhage treated with clazosentan: a meta-analysis of randomized controlled trials. *J Neurosurg* 119: 180, 2013. [PMID: 23641823]
54. Huang RQ, Jiang FG, Feng ZM, et al: Nicardipine in the treatment of aneurysmal subarachnoid haemorrhage: a meta-analysis of published data. *Acta Neurol Belg* 113: 3, 2013. [PMID: 23111775]
55. Kim SY, Kim SM, Park MS, et al: Effectiveness of nicardipine for blood pressure control in patients with subarachnoid hemorrhage. *J Cerebrovasc Endovasc Neurosurg* 14: 84, 2012. [PMID: 23210033]
56. Ortega-Gutierrez S, Thomas J, Reccius A, et al: Effectiveness and safety of nicardipine and labetalol infusion for blood pressure management in patients with intracerebral and subarachnoid hemorrhage. *Neurocrit Care* 18: 13, 2013. [PMID: 23055089]
57. Morgenstern LB, Hemphill JC 3rd, Anderson C, et al: American Heart Association Stroke Council and Council on Cardiovascular Nursing. Guidelines for the management of spontaneous intracerebral hemorrhage: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke* 41: 2108, 2010. [PMID: 20651276]
58. Butcher KS, Jeerakathil T, Hill M, et al: ICH ADAPT Investigators. The Intracerebral Hemorrhage Acutely Decreasing Arterial Pressure Trial. *Stroke* 44: 620, 2013. [PMID: 23391776]
59. Sakamoto Y, Koga M, Yamagami H, et al: Systolic blood pressure after intravenous anti-hypertensive treatment and clinical outcomes in hyperacute intracerebral hemorrhage: the stroke acute management with urgent risk-factor assessment and improvement-intracerebral hemorrhage study. *Stroke* 44: 1846, 2013. [PMID: 23704107]
60. Anderson CS, Heeley E, Huang Y, et al: INTERACT2 Investigators. Rapid blood-pressure lowering in patients with acute intracerebral hemorrhage. *N Engl J Med* 368: 2355, 2013. [PMID: 23713578]
61. Liu-Deryke X, Levy PD, Parker D Jr, et al: A prospective evaluation of labetalol versus nicardipine for blood pressure management in patients with acute stroke. *Neurocrit Care* 19: 41, 2013. [PMID: 23760911]
62. Hwang SK, Kim JS, Kim JH, et al: Antihypertensive treatment of acute intracerebral hemorrhage by intravenous nicardipine hydrochloride: prospective multi-center study. *J Korean Med Sci* 27: 1085, 2012. [PMID: 22969257]
63. Koga M, Toyoda K, Yamagami H, et al: Systolic blood pressure lowering to 160 mmHg or less using nicardipine in acute intracerebral hemorrhage: a prospective, multicenter, observational study (the Stroke Acute Management with Urgent Risk-factor Assessment and Improvement-Intracerebral Hemorrhage study). *J Hypertens* 30: 2357, 2012. [PMID: 22990355]
64. Broderick J, Connolly S, Feldmann E, et al: Guidelines for the management of spontaneous intracerebral hemorrhage in adults: 2007 update: a guideline from the American Heart Association/American Stroke Association Stroke Council, High Blood Pressure Research Council, and the Quality of Care and Outcomes in Research Interdisciplinary Working Group. *Circulation* 116: e391, 2007. [PMID: 17938297]
65. Jauch EC, Saver JL, Adams HP Jr, et al: Guidelines for the early management of patients with acute ischemic stroke: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke* 44: 870, 2013. [PMID: 23370205]
66. Ahmed N, Wahlgren N, Brainin M, et al: Relationship of blood pressure, antihypertensive therapy, and outcome in ischemic stroke treated with intravenous thrombolysis. Retrospective analysis from Safe Implementation of Thrombolysis in Stroke-International Stroke Thrombolysis Register (SITS-ISTR). *Stroke* 40: 2442, 2009. [PMID: 19461022]
67. Mărgulescu AD, Rimbaş RC, Florescu M, et al: Cardiac adaptation in acute hypertensive pulmonary edema. *Am J Cardiol* 109: 1472, 2012. [PMID: 22440115]
68. Carlson MD, Eckman PM: Review of vasodilators in acute decompensated heart failure: the old and the new. *J Card Fail* 19: 478, 2013. [PMID: 23834924]
69. Costanzo MR, Johannes RS, Pine M, et al: The safety of intravenous diuretics alone versus diuretics plus parenteral vasoactive therapies in hospitalized patients with acutely decompensated heart failure: a propensity score and instrumental variable analysis using the Acutely Decompensated Heart Failure National Registry (ADHERE) database. *Am Heart J* 154: 267, 2007. [PMID: 17643575]
70. Peacock WF 4th, Hilleman DE, Levy PD, et al: A systematic review of nicardipine vs labetalol for the management of hypertensive crises. *Am J Emerg Med* 30: 981, 2012. [PMID: 21908132]
71. Nieminen MS, Brutsaert D, Dickstein K, et al: Euroheart Failure Survey II: a survey on hospitalized acute heart failure patients: description of population. *Eur Heart J* 2: 2725, 2006. [PMID: 17000631]
72. Mohamad T, Kondur A, Vaitkevicius P, et al: Cocaine-induced chest pain and beta-blockade: an inner city experience. *Am J Ther* 15: 531, 2008. [PMID: 19127137]
73. McMillian WD, Trombley BJ, Charash WE, et al: Phentolamine continuous infusion in a patient with pheochromocytoma. *Am J Health Syst Pharm* 68: 130, 2011. [PMID: 21200059]
74. Scholten A, Cisco RM, Vriens MR, et al: Pheochromocytoma crisis is not a surgical emergency. *J Clin Endocrinol Metab* 98: 581, 2013. [PMID: 23284003]
75. Habbe N, Ruger F, Bojunga J, et al: Urapidil in the preoperative treatment of pheochromocytomas: a safe and cost-effective method. *World J Surg* 37: 1141, 2013. [PMID: 23381676]
76. Karabay N, Emin L, Ada E: Brainstem swelling and noncommunicating hydrocephalus caused by hypertensive brainstem encephalopathy. *Emerg Radiol* 20: 579, 2013. [PMID: 23835809]
77. Olsen KS, Svendsen LB, Larsen FS, et al: Effect of labetalol on cerebral blood flow, oxygen metabolism and autoregulation in healthy humans. *Br J Anaesth* 75: 51, 1995. [PMID: 7669469]
78. Ohkuma H, Tsurutani H, Suzuki S: Incidence and significance of early aneurysmal rebleeding before neurosurgical or neurological management. *Stroke* 32: 1176, 2001. [PMID: 11340229]
79. Pickard JD, Murray GD, Illingworth R, et al: Effect of oral nimodipine on cerebral infarction and outcome after subarachnoid haemorrhage: British aneurysm nimodipine trial. *BMJ* 298: 636, 1989. [PMID: 2496789]
80. Budohoski KP, Czosnyka M, Smielewski P, et al: Utility of monitoring cerebral autoregulation after subarachnoid hemorrhage. Results from a prospective observational study. *Neurosurgery* 60 (Suppl 1): 182, 2013.
81. Peacock WF, Varon J, Baumann BM, et al: CLUE: a randomized comparative effectiveness trial of IV nicardipine versus labetalol use in the emergency department. *Crit Care* 15: R157, 2011. [PMID: 21707983]
82. Sarafidis PA, Georgianos PI, Malindretos P, et al: Pharmacological management of hypertensive emergencies and urgencies: focus on newer agents. *Expert Opin Invest Drugs* 21: 1089, 2012.
83. Aronson S: Clevidipine in the treatment of perioperative hypertension: assessing safety events in the ECLIPSE trials. *Expert Rev Cardiovasc Ther* 7: 465, 2009. [PMID: 19419254]
84. Pollack CV, Varon J, Garrison NA, et al: Clevidipine, an intravenous dihydropyridine calcium channel blocker, is safe and effective for the treatment of patients with acute severe hypertension (VELOCITY). *Ann Emerg Med* 53: 329, 2009. [PMID: 18534716]
85. Peacock WF, Varon J, Ebrahimi R, et al: Clevidipine for severe hypertension in patients with renal dysfunction: a VELOCITY trial analysis. *Blood Press Suppl* 1: 20, 2011. [PMID: 21091269]
86. Raheem IA, Saaïd R, Omar SZ, et al: Oral nifedipine versus intravenous labetalol for acute blood pressure control in hypertensive emergencies of pregnancy: a randomized trial. *BJOG* 119: 78, 2012. [PMID: 21985500]
87. Committee on Obstetric Practice: Committee opinion no. 514: emergent therapy for acute-onset, severe hypertension with preeclampsia or eclampsia. *Obstet Gynecol* 118: 1465, 2011. [PMID: 22105295]
88. Roitberg BZ, Hardman J, Urbaniak K, et al: Prospective randomized comparison of safety and efficacy of nicardipine and nitroprusside drip for control of hypertension in the neurosurgical intensive care unit. *Neurosurgery* 63: 115, 2008. [PMID: 18728576]
89. Aronson S, Dyke CM, Stierer KA, et al: The ECLIPSE trials: comparative studies of clevidipine to nitroglycerin, sodium nitroprusside, and nicardipine for acute hypertension treatment in cardiac surgery patients. *Anesth Analg* 107: 1110, 2008. [PMID: 18806012]
90. Moffett BS, Price JF: Evaluation of sodium nitroprusside toxicity in pediatric cardiac surgical patients. *Ann Pharmacother* 42: 1600, 2008. [PMID: 18957627]
91. Sica DA, Grubbs R: Transdermal clonidine: therapeutic considerations. *J Clin Hypertens* 7: 558, 2005. [PMID: 16227779]
92. Vlcek M, Bur A, Woisetschläger C, et al: Association between hypertensive urgencies and subsequent cardiovascular events in patients with hypertension. *J Hypertens* 26: 657, 2008. [PMID: 18327073]
93. Slovis CM, Reddi AS: Increased blood pressure without evidence of acute end organ damage. *Ann Emerg Med* 51 (3 Suppl): S7, 2008. [PMID: 18191294]
94. Tanabe P, Persell SD, Adams JG, et al: Increased blood pressure in the emergency department: pain, anxiety, or undiagnosed hypertension? *Ann Emerg Med* 51: 221, 2008. [PMID: 18207606]
95. James PA, Oparil S, Carter BL, et al: 2014 evidence-based guideline for the management of high blood pressure in adults: report from the panel members appointed to the Eighth Joint National Committee (JNC 8). *JAMA* 311: 507, 2014. [PMID: 24352797]
96. Singh D, Akingbola O, Yosypiv I, et al: Emergency management of hypertension in children. *Int J Nephrol* 2012: 420247, 2012. [PMID: 22577545]
97. Chandar J, Zilleruelo G: Hypertensive crisis in children. *Pediatr Nephrol* 27: 741, 2012. [PMID: 21773822]
98. National High Blood Pressure Education Program Working Group on High Blood Pressure in Children and Adolescents: The fourth report on the diagnosis, evaluation, and treatment of high blood pressure in children and adolescents. *Pediatrics* 114 (2 Suppl 4th Report): 555, 2004. [PMID: 15286277]
99. Thomas CA, Moffett BS, Wagner JL, et al: Safety and efficacy of intravenous labetalol for hypertensive crisis in infants and small children. *Pediatr Crit Care Med* 12: 28, 2011. [PMID: 20495503]

■ USEFUL WEB RESOURCES

Critical Issues in the Evaluation and Management of Adult Patients with Asymptomatic Hypertension in the Emergency Department, American College of Emergency Physicians policy statement—<http://www.acep.org/Content.aspx?id=30060>

Pediatric nomograms for blood pressure based on age, sex, and weight—<http://www.nhlbi.nih.gov/health-pro/guidelines/current/hypertension-pediatric-jnc-4/blood-pressure-tables>

Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure (full report)—<http://www.nhlbi.nih.gov/guidelines/hypertension/jnc7full.htm>