

Marcus E. H. Ong

Swee Han Lim

Anantharaman Venkataraman

## REFERENCES

---

1. Lown B: Electrical reversion of cardiac arrhythmias. *Br Heart J* 29: 469, 1967. [PMID: 6029120]
2. Sullivan JL, Chapman FW: Will medical examination gloves protect rescuers from defibrillation voltages during hands-on defibrillation? *Resuscitation* 83: 1467, 2012. [PMID: 22925991]
3. Fires from defibrillation during oxygen administration. *Health Devices* 23: 307, 1994. [PMID: 7852078]
4. Miller PH: Potential fire hazard in defibrillation. *JAMA* 221: 192, 1972. [PMID: 5067634]
5. Cheskes S, Schmicker RH, Christenson J, et al: Perishock pause: an independent predictor of survival from out-of-hospital shockable cardiac arrest. *Circulation* 124: 58, 2011. [PMID: 21690495]
6. Hazinski MF, Nolan JP, Billi JE, et al: Part 1: executive summary: 2010 international consensus on cardiopulmonary resuscitation and emergency cardiovascular care science with treatment recommendations. *Circulation* 122: S250, 2010. [PMID: 20956249]
7. White RD, Chese more KF: Charge! FDA recommendations for maintaining defibrillator readiness. *JEMS* 17: 70, 1992. [PMID: 10117528]