

C. Keith Stone
Stephen H. Thomas

REFERENCES

1. Cameron S, Pereira P, Mulcahy R, Seymour J: Helicopter primary retrieval: tasking who should do it? *Emerg Med Australas* 17: 387, 2005. [PMID: 16091103]
2. Iirola T, Laaksonen MI, Vahlberg TJ, Palve HK: Effect of physician-staffed helicopter emergency medical service on blunt trauma patient survival and prehospital care. *Eur J Emerg Med* 13: 335, 2006. [PMID: 17091054]
3. Brown LH, Hubble MW, Wilfong DA, Hertelendy A, Benner RW: Airway management in the air medical setting. *Air Med J* 30: 140, 2010. [PMID: 21549286]
4. Bassi M, Zuercher M, Erne J, Ummehofer W: Endotracheal tube intracuff pressure during helicopter transport. *Ann Emerg Med* 56: 89, 2010. [PMID: 20188442]
5. Di Bartolomeo S, Sanson G, Nardi G, Michelutto V, Scian F: HEMS vs. ground-BLS care in traumatic cardiac arrest. *Prehosp Emerg Care* 9: 79, 2005. [PMID: 16036833]
6. Brown JB, Stassen NA, Bankey PE, Sangosanya AT, Cheng JD, Gestring ML: Helicopters and the civilian trauma system: national utilization patterns demonstrate improved outcomes after traumatic injury. *J Trauma* 69: 1030, 2010. [PMID: 21068607]
7. Stewart KE, Cowan LD, Thompson DM, Sacra JC, Albrecht R: Association of direct helicopter versus ground transport and in-hospital mortality in trauma patients: a propensity score analysis. *Acad Emerg Med* 18: 1208, 2011. [PMID: 22092906]
8. Sullivent EE, Faul M, Wald MM: Reduced mortality in injured adults transported by helicopter emergency medical services. *Prehosp Emerg Care* 15: 295, 2011. [PMID: 21524205]
9. Mitchell AD, Tallon JM, Sealy B: Air versus ground transport of major trauma patients to a tertiary trauma centre: a province-wide comparison using TRISS analysis. *Can J Surg* 50: 129, 2007. [PMID: 17550717]
10. McCowan CL, Swanson ER, Thomas F, Handrahan DL: Outcomes of blunt trauma victims transported by HEMS from rural and urban scenes. *Prehosp Emerg Care* 11: 383, 2007. [PMID: 17907020]
11. Trojanowski J, MacDonald RD: Safe transport of patients with acute coronary syndrome or cardiogenic shock by skilled air medical crews. *Prehosp Emerg Care* 15: 240, 2011. [PMID: 21226552]
12. Youngquist ST, McIntosh SE, Swanson ER, Barton ED: Air ambulance transport times and advanced cardiac support interventions during interfacility transfer of patients with acute ST-segment elevation myocardial infarction. *Prehosp Emerg Care* 14: 292, 2010. [PMID: 20377403]
13. Thomas S, Schwamm L, Lev M: Case records of the Massachusetts General Hospital. Case 16-2006. A 72-year-old woman admitted to the emergency department because of a sudden change in mental status. *N Engl J Med* 354: 2263, 2006. [PMID: 16723618]
14. Schwamm L, Pancioli A, Acker J, et al: Recommendations for the establishment of stroke systems of care: recommendations from the American Stroke Association's Task Force on the Development of Stroke Systems. *Stroke* 36: 690, 2005. [PMID: 15738362]
15. Olson MD, Rabinstein AA: Does helicopter emergency medical service transfer offer benefit to patients with stroke? *Stroke* 42: 578, 2012. [PMID: 22156702]

USEFUL WEB RESOURCES

Air Medical Physician Association—<http://www.ampa.org>
 Committee on Accreditation of Medical Transport Systems—<http://www.camts.org>
 National Association of EMS Physicians—<http://www.naemsp.org>
 The American Stroke Association—<http://www.strokeassociation.org>