

REFERENCES

1. Srisawat N, Kellum A: Acute kidney injury: definition, epidemiology, and outcome. *Curr Opin Crit Care* 17: 548, 2011. [PMID: 22027404]
2. Liano E, Pascual J, Madrid Acute Renal Failure Study Group: Epidemiology of acute renal failure: a prospective, multicenter, community-based study. *Kidney Int* 50: 811, 1996. [PMID: 8872955]
3. Coca SG, Singanamala S, Parikh CR: Chronic kidney disease after acute kidney injury: a systematic review and meta-analysis. *Kidney Int* 81: 442 2012. [PMID: 22113526]
4. Thadhani R, Pascual M, Bonventre JV: Acute renal failure. *N Engl J Med* 334: 1448, 1996. [PMID: 8618585]
5. Uchino S, Bellomo R, Goldsmith D, et al: An assessment of the RIFLE criteria for acute renal failure in hospitalized patients. *Crit Care Med* 34: 1913, 2006. [PMID: 16715038]
6. Neveu H, Kleinknecht D, Brivet F, et al: Prognostic factors in acute renal failure due to sepsis: results of a prospective multicentre study. *Nephrol Dial Transplant* 11: 293, 1996. [PMID: 8700363]
7. Anderson GD, Hakimian S: Pharmacokinetics of antiepileptic drugs in patients with hepatic or renal impairment. *Clin Pharmacokinet* October 13, 2013. [Epub ahead of print] [PMID: 24122696]
8. Delaney I, Givens ML, Vohra R: Use of RIFLE criteria to predict the severity and prognosis of acute kidney injury in emergency department patients with rhabdomyolysis. *J Emerg Med* 42: 521, 2012. [PMID: 21549548]
9. Acker CG, Johnson JP, Palevsky PM, Greenberg A: Hyperkalemia in hospitalized patients: causes, adequacy of treatment, and results of an attempt to improve physician compliance with published therapy guidelines. *Arch Intern Med* 158: 917, 1998. [PMID: 9570179]
10. Wrenn KD, Slovis CM, Slovis BS: The ability of physicians to predict hyperkalemia from the ECG. *Ann Emerg Med* 20: 1229, 1991. [PMID: 1952310]
11. Freeman K, Feldman JA, Mitchell P, et al: Effects of presentation and electrocardiogram on time to treatment of hyperkalemia. *Acad Emerg Med* 15: 239, 2008. [PMID: 18304054]
12. Uchino S, Bellomo R, Goldsmith D: The meaning of the blood urea nitrogen/creatinine ratio in acute kidney injury. *Clin Kidney J* 5: 187, 2012. [No PMID.]
13. Jones AE, Tayal VS, Sullivan DM, et al: Randomized, controlled trial of immediate versus delayed goal-directed ultrasound to identify the cause of nontraumatic hypotension in emergency department patients. *Crit Care Med* 32: 1703, 2004. [PMID: 15286547]
14. Barbier C, Loubieres Y, Schmit C, et al: Respiratory changes in inferior vena cava diameter are helpful in predicting fluid responsiveness in ventilated septic patients. *Intens Care Med* 30: 1740, 2004. [PMID: 15034650]
15. Baerlocher MO, Asch M, Myers A: Metformin and intravenous contrast. *CMAJ* 185: E78, 2013. [PMID: 23048079]
16. Traub SJ, Kellum JA, Tang A, et al: Risk factors for radiocontrast nephropathy after emergency department contrast-enhanced computerized tomography. *Acad Emerg Med* 20: 40, 2013. [PMID: 23570477]
17. Schoolwerth AC, Sica DA, Ballermann BJ, Wilcox CS: Renal considerations in angiotensin converting enzyme inhibitor therapy. *Circulation* 104: 1985, 2001. [PMID: 11602506]
18. Harris RC: Cyclooxygenase-2 inhibition and renal physiology. *Am J Cardiol* 89: 10D, 2002. [PMID: 11909556]
19. Barza M, Ioannidis JP, Cappelleri JC, Lau J: Single or multiple daily doses of aminoglycosides: a meta-analysis. *BMJ* 312: 338, 1996. [PMID: 8611830]
20. Honore PM, Jacobs R, Joannes-Boyau O, et al: Biomarkers for early diagnosis of AKI in the ICU: ready for prime time use at the bedside? *Ann Intensive Care* 2: 24, 2012. [PMID: 22747706]
21. Zhang Z, Lu B, Sheng X, Jin N: Cystatin C in prediction of acute kidney injury: a systemic review and meta-analysis. *Am J Kidney Dis* 58: 356, 2011. [PMID: 21601330]
22. Slocum JL, Heung M, Pennathur S: Marking renal injury: can we move beyond serum creatinine? *Transl Res* 159: 277, 2012. [PMID: 22424431]
23. Gelfand MS, Cleveland KO: Vancomycin-induced nephrotoxicity. *Antimicrob Agents Chemother* 57: 2435, 2013. [PMID: 23580581]
24. Bird ST, Etminan M, Brophy JM, et al: Risk of acute kidney injury associated with the use of fluoroquinolones. *CMAJ* 185: E475, 2013. [PMID: 23734036]
25. Kellum JA, Decker J: Use of dopamine in acute renal failure: a meta-analysis. *Crit Care Med* 29: 1526, 2001. [PMID: 11505120]
26. Landoni G, Biondi-Zoccali GG, Tumlin JA, et al: Beneficial impact of fenoldopam in critically ill patients with or at risk for acute renal failure: a meta-analysis of randomized clinical trials. *Am J Kidney Dis* 49: 56, 2007. [PMID: 17185146]
27. Ho KM, Sheridan DJ: Meta-analysis of furosemide to prevent or treat acute renal failure. *BMJ* 333: 420, 2006. [PMID: 16861256]
28. Zarjou A, Sanders PW, Mehta RL, Agarwal A: Enabling innovative translational research in acute kidney injury. *Clin Transl Sci* 5: 93 2012. [PMID: 22376265]
29. Papnicolaou N, Francis IR, Casalino DD, et al: Expert Panel on Urologic Imaging. ACR Appropriateness Criteria® renal failure [online publication]. Reston, VA: American College of Radiology; 2008.
30. Sinert R, Bandler E, Subramanian RA, Miller AC: Does the current definition of contrast-induced acute kidney injury reflect a true clinical entity? *Acad Emerg Med* 19: 1261, 2012. [PMID: 23167857]
31. Jang JS, Jin HY, Seo JS, et al: Sodium bicarbonate therapy for the prevention of contrast-induced acute kidney injury: a systematic review and meta-analysis. *Circ J* 76: 2255, 2012. [PMID: 22975638]
32. Merten GJ, Burgess WP, Rittase RA, Kennedy TP: Prevention of contrast-induced nephropathy with sodium bicarbonate: an evidence-based protocol. *Crit Pathw Cardiol* 3: 138, 2004. [PMID: 18340155]

USEFUL WEB RESOURCES

A risk score to predict contrast-induced nephropathy: Calculates risk of contrast-induced nephropathy using risk score developed by Mehran and colleagues—<http://www.zunis.org/Contrast-Induced%20Nephropathy%20Calculator.htm>

Cockcroft-Gault Calculator: Calculates creatinine clearance using the Cockcroft-Gault equation—<http://nephron.com/cgi-bin/CGSI.cgi>

Health Professionals: GFR Calculators, National Kidney Disease Education Program: calculates estimated GFR based on the recommended MDRD algorithm—<http://nkdep.nih.gov/lab-evaluation/gfr-calculators/adults-conventional-unit.shtml>

Kidney Community: Emergency Preparedness and Response: Disaster support for patients with renal failure and their caregivers—<http://www.kidney.org/help>

Schwarz calculator (preferred for children)—<http://nkdep.nih.gov/lab-evaluation/gfr-calculators/children-conventional-unit.shtml>

Summary of the American College of Radiology guideline for imaging in renal failure, National Guidelines—<http://www.guideline.gov/content.aspx?id=13685>