CHAPTER

Procedural Sedation and Analgesia in Adults

Justin G. Myers Jennifer Kellv

REFERENCES

- Green SM, Roback MG, Krauss BS, et al: Unscheduled procedural sedation: a multidisciplinary consensus practice guideline. *Ann Emerg Med* 73: e51, 2019. [PMID: 31029297]
 Godwin SA, Burton JH, Gerardo CJ, et al: Clinical policy: procedural sedation and anal-
- gesia in the emergency department. Ann Emerg Med 63: 247, 2014. [PMID: 24438649]
- Roback MG, Green SM, Andolfatto G, Leroy PL, Mason KP: Tracking and Reporting Outcomes Of Procedural Sedation (TROOPS): Standardized quality improvement and research tools from the International Committee for the Advancement of Procedural Sedation. Br J Anaesth 120: 164, 2018. [PMID: 29397125]
- Krauss B, Green SM: Procedural sedation and analgesia in children. Lancet 367: 766, 2006. [PMID: 16517277]
- Mason KP, Green SM, Piacevoli Q: Adverse event reporting tool to standardize the reporting and tracking of adverse events during procedural sedation: a consensus document from the World SIVA International Sedation Task Force. Br J Anaesth 108: 13, 2012. [PMID: 22157446]
- 6. https://www.asahq.org/standards-and-guidelines/continuum-of-depth-of-sedationdefinition-of-general-anesthesia-and-levels-of-sedationanalgesia. (American Society of Anesthesiologists: Continuum of depth of sedation: definition of general anesthesia and levels of sedation/analgesia.) Accessed April 16, 2019.
- Green SM, Mason KP: Reformulation of the sedation continuum. JAMA 303: 876, 2010. [PMID: 20197535]
- Green SM, Mason KP: Stratification of sedation risk: a challenge to the sedation continuum. *Paediatr Anaesth* 21: 924, 2011. [PMID: 21575101]
- Miner JR, Huber D, Nichols S, Biros M: The effect of the assignment of a pre-sedation target level on procedural sedation using propofol. *J Emerg Med* 32: 249, 2007. [PMID: 17394986]
- Green SM, Roback MG, Kennedy RM, Krauss B: Clinical practice guideline for emergency department ketamine dissociative sedation: 2011 update. *Ann Emerg Med* 57: 449, 2011. [PMID: 21256625]
- Miner JR, Bachman A, Kosman L, Teng B, Heegaard W, Biros MH: Assessment of the onset and persistence of amnesia during procedural sedation with propofol. *Acad Emerg Med* 12: 491, 2005. [PMID: 15930398]
- https://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/Downloads/ som107ap_a_hospitals.pdf. (Department of Health and Human Services [DHHS], Center for Medicare and Medicaid Services [CMS]: State Operations Manual Appendix A—Survey protocol, regulations and interpretive guidelines for hospitals.) Accessed April 5, 2019.
- continuum-of-depth-of-sedation-definition-of-general-anesthesia-and-levels-of-sedationanalgesia.pdf (American Society of Anesthesiologists: Continuum of depth of sedation: Committee of Origin: Quality Management and Departmental Administration.) Accessed May 4, 2019.
- Smally AJ, Nowicki TA, Simelton BH: Procedural sedation and analgesia in the emergency department. *Curr Opin Crit Care* 17: 317, 2011. [PMID: 21677578]
- American College of Emergency Physicans (ACEP), Emergency Nurses Association (ENA): Joint policy statement: procedural sedation in the emergency department. Ann Emerg Med 70: 945, 2017. [PMID: 29157713]
- Sacchetti A, Senula G, Strickland J, Dubin R: Procedural sedation in the community emergency department: initial results of the ProSCED Registry. Acad Emerg Med 14: 41, 2007. [PMID: 16946280]
- 17. Harmon LM: The evaluation of 1-physician versus 2-physician deep sedation with propofol. Int J Anesth Anesthesiol 3: 2015, 2017.
- Miller KA, Andolfatto G, Miner JR, Burton JH, Krauss BS: Clinical practice guideline for emergency department procedural sedation with propofol: 2018 update. *Ann Emerg Med* 73: 470, 2019. [PMID: 30732981]
- http://proceduralsedation.org/statements/. (International Committee for the Advancement of Procedural Sedation: Policy statement: minimum, required skill sets for procedural sedation.) Accessed April 15, 2019.
- https://www.aaem.org/resources/statements/position/procedural-sedation-consensusstatement. (American Academy of Emergency Medicine, Emergency Nurses Association, Air and Surface Transport Nurses Assocation, et al: Procedural sedation consensus statement.) Accessed April 15, 2019.
- Tohira H, Jacobs I, Mountain D, Gibson N, Yeo A: International comparison of regional trauma registries. *Injury* 43: 1924, 2012. [PMID: 22921381]
- Tohda G, Higashi S, Wakahara S, Morikawa M, Sakumoto H, Kane T: Propofol sedation during endoscopic procedures: safe and effective administration by registered nurses supervised by endoscopists. *Endscopy* 38: 360, 2006. [PMID: 16680635]
- Bisanzo M, Nichols K, Hammerstedt H, et al: Nurse-administered ketamine sedation in an emergency department in rural Uganda. Ann Emerg Med 59: 268, 2012. [PMID: 22169331]
- 24. Flynn D, Knoedler MA, Hess EP, et al: Engaging patients in health care decisions in the emergency department through shared decision-making: a systematic review. Acad Emerg Med 19: 959, 2012. [PMID: 22853804]

- Schoenfeld EM, Goff SL, Downs G, Wenger RJ, Lindenauer PK, Mazor KM: A qualitative analysis of patients' perceptions of shared decision making in the emergency department: "let me know i have a choice." *Acad Emerg Med* 25: 716, 2018. [PMID: 29577490]
- Anandaiah A, Rock L: Twelve tips for teaching the informed consent conversation. *Med Teach* 23: 1, 2018. [PMID: 29361861]
- Chang B, Urman RD: Non-operating room anesthesia. The principles of patient assessment and preparation. *Anesthesiol Clin* 34: 223, 2016. [PMID: 26927750]
- Bader AM, Pothier MM: Out-of-operating room procedures: preprocedure assessment. *Anesthesiol Clin* 27: 121, 2009. [PMID: 19361774]
- https://www.asahq.org/standards-and-guidelines/asa-physical-status-classification-system. (American Society of Anesthesiologists: ASA Physical Status Classification System.) Accessed April 16, 2019.
- Wenzel-Smith G, Schweitzer B: Safety and efficacy of procedural sedation and analgesia (PSA) conducted by medical officers in level 1 hospital in Cape Town. S Afr Med J 101: 895, 2011. [PMID: 22273033]
- Harvey M, Cave G, Betham C: Contemporary sedation practice in a large New Zealand emergency department. N Z Med J 124: 36, 2011. [PMID: 22016162]
- O'Connor RE, Sama A, Burton JH, et al: Procedural sedation and analgesia in the emergency department: recommendations for physician credentialing, privileging, and practice. Ann Emerg Med 58: 365, 2011. [PMID: 21802778]
- Miner JR, Martel ML, Meyer M, Reardon R, Biros MH: Procedural sedation of critically ill patients in the emergency department. *Acad Emerg Med* 12: 124, 2005. [PMID: 15692132]
- Weaver CS, Hauter WE, Brizendine EJ, Cordell WH: Emergency department procedural sedation with propofol: is it safe? J Emerg Med 33: 355, 2007. [PMID: 17976779]
- Norii T, Homma Y, Shimizu H, et al: Procedural sedation and analgesia in the emergency department in Japan: interim analysis of multicenter prospective observational study. J Anesth 33: 238, 2019. [PMID: 30617546]
- Godwin SA, Caro DA, Wolf SJ, et al: Clinical policy: procedural sedation and analgesia in the emergency department. Ann Emerg Med 45: 177, 2005. [PMID: 15671976]
- https://www.medigraphic.com/pdfs/circir/cc-2010/cc105d.pdf. (Orozco-Díaz É, Jorge Álvarez-Ríos J, Luis Arceo-Díaz J, et al: Predicción de intubación difícil mediante escalas de valoración de la vía aérea.) Accessed April 16, 2019.
- Eberhart LHJ, Arndt C, Aust HJ, Kranke P, Zoremba M, Morin A: A simplified risk score to predict difficult intubation: development and prospective evaluation in 3763 patients. *Eur J Anaesthesiol* 27: 935, 2010. [PMID: 20299983]
- Fritscherova S, Adamus M, Dostalova K, et al: Can difficult intubation be easily and rapidly predicted? *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub* 155: 165, 2011. [PMID: 21804626]
- Adamus CM, Vavreckova T, Hrabalek L, et al: Interobserver reproducibility of 15 tests used for predicting difficult intubation. *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub* 155: 275, 2011. [PMID: 22286814]
- Soyuncu S, Cete Y, Bektas F, Akcimen M: Determination of difficult intubation in the ED. Am J Emerg Med 27: 905, 2009. [PMID: 19857405]
- Neuman G, Koren G: Motherisk rounds: safety of procedural sedation in pregnancy. J Obstet Gynaecol Canada 35: 168, 2013. [PMID: 23470068]
- Thorpe RJ, Benger J: Pre-procedural fasting in emergency sedation. *Emerg Med J* 27: 254, 2010. [PMID: 20385672]
- Bell A, Treston G, Mcnabb C, Monypenny K, Cardwell R: Profiling adverse respiratory events and vomiting when using propofol for emergency department procedural sedation. *Emerg Med Australas* 19: 405, 2007. [PMID: 17919212]
- Molina JAD, Lobo CA, Goh HK, Seow E, Heng BH: Review of studies and guidelines on fasting and procedural sedation at the emergency department. *Int J Evid Based Healthc* 8: 75, 2010. [PMID: 20923510]
- Beach ML, Cohen DM, Gallagher SM, Cravero JP: Major adverse events and relationship to nil per os status in pediatric sedation/anesthesia outside the operating room. *Anesthesiolog* 124: 80, 2016. [PMID: 26551974]
- Bellolio FM, Gilani WI, Barrionuevo P, et al: Incidence of adverse events in adults undergoing procedural sedation in the emergency department: a systematic review and meta-analysis. Acad Emerg Med 23: 119, 2016. [PMID: 26801209]
- Holden D, Ramich J, Timm E, Pauze D, Lesar T: Safety considerations and guidelinebased safe use recommendations for "bolus-dose" vasopressors in the emergency department. Ann Emerg Med 71: 83, 2018. [PMID: 28601272]
- Weingart S: Push-dose pressors for immediate blood pressure control. *Clin Exp Emerg Med* 2: 131, 2015. [PMID: 27752585]
- Deitch K, Chudnofsky CR, Dominici P: The utility of supplemental oxygen during emergency department procedural sedation and analgesia with midazolam and fentanyl: a randomized, controlled trial. Ann Emerg Med 49: 1, 2007. [PMID: 16978741]
- Deitch K, Chudnofsky CR, Dominici P: The utility of supplemental oxygen during emergency department procedural sedation with propofol: a randomized, controlled trial. Ann Emerg Med 52: 1, 2008. [PMID: 18294729]
- Deitch K, Chudnofsky CR, Dominici P, Latta D, Salamanca Y: The utility of high-flow oxygen during emergency department procedural sedation and analgesia with propofol: a randomized, controlled trial. Ann Emerg Med 58: 360, 2011. [PMID: 21680059]
- https://e-dition.jcrinc.com/MainContent.aspx. (Joint Commission on Accreditation of Healthcare Organizations: The Joint Commission Accreditation Requirements: Provision of Care, Treatment, and Services.) Accessed May 2, 2019.
- Krauss B, Hess DR: Capnography for procedural sedation and analgesia in the emergency department. Ann Emerg Med 50: 172, 2007. [PMID: 17222941]
- 55. Deitch K, Jim Miner D, Chudnofsky CR, Dominici P, Latta D: Does end tidal CO₂ monitoring during emergency department procedural sedation and analgesia with propofol decrease the incidence of hypoxic events? A randomized, controlled trial. *Ann Emerg Med* 55: 258, 2010. [PMID: 19783324]

2 SECTION 5: Analgesia, Anesthesia, and Procedural Sedation

- Schick A, Driver B, Moore JC, Fagerstrom E, Miner JR: Randomized clinical trial comparing procedural amnesia and respiratory depression between moderate and deep sedation with propofol in the emergency department. *Acad Emerg Med* 26: 364, 2019. [PMID: 30098230]
- Green SM, Pershad J: Should capnographic monitoring be standard practice during emergency department procedural sedation and analgesia? Pro and con. Ann Emerg Med 55: 265, 2010. [PMID: 19819589]
- Proehl J, Arruda T, Crowley M, et al: Emergency nursing resource: the use of capnography during procedural sedation/analgesia in the emergency department. *J Emerg Nurs* 37: 533, 2011. [PMID: 21600642]
- 59. Burton F: BET 2: should capnography be routinely used during procedural sedation in the emergency department? *Emerg Med J* 29: 163, 2012. [PMID: 22241694]
- Wall BF, Magee K, Campbell SG, et al: Capnography versus standard monitoring for emergency department procedural sedation and analgesia. *Cochrane Database Syst Rev* 3: CD010698, 2017. [PMID: 28334427]
- Mohr NM, Stoltze A, Ahmed A, Kiscaden E, Shane D: Using continuous quantitative capnography for emergency department procedural sedation: a systematic review and cost-effectiveness analysis. *Intern Emerg Med* 13: 75, 2018. [PMID: 28032265]
- Saunders R, Struys MMRF, Pollock RF, Mestek M, Lightdale JR: Patient safety during procedural sedation using capnography monitoring: a systematic review and metaanalysis. BMJ Open 7: e013402, 2017. [PMID: 28667196]
- Dewdney C, MacDougall M, Blackburn R, Lloyd G, Gray A: Capnography for procedural sedation in the ED: a systematic review. *Emerg Med J* 34: 476, 2017. [PMID: 27565194]
- 64. Celenza A, Winton J, Jackson T: Improving documentation of procedural sedation in an adult emergency department. *Eur J Emerg Med* 18: 13, 2011. [PMID: 20300003]
- Shaver K, Weiss S, Braude D: Agreement on sedation-related events between a procedural sedation registry and computerized medical records. *Am J Emerg Med* 28: 263, 2010. [PMID: 20223381]
- Messenger DW, Murray HE, Dungey PE, Van Vlymen J, Sivilotti MLA: Subdissociativedose ketamine versus fentanyl for analgesia during propofol procedural sedation: a randomized clinical trial. Acad Emerg Med 15: 877, 2008. [PMID: 18754820]
- Green SM, Andolfatto G: Managing propofol-induced hypoventilation. Ann Emerg Med 65: 57, 2015. [PMID: 25017824]
- Messenger DW, Murray HE, Dungey PE, van Vlymen J, Sivilotti MLA: Subdissociativedose ketamine versus fentanyl for analgesia during propofol procedural sedation: a randomized clinical trial. *Acad Emerg Med* 15: 877, 2008. [PMID: 18754820]
- Baker SN, Weant KA: Procedural sedation and analgesia in the emergency department. J Pharm Pract 24: 189, 2011. [PMID: 21712213]
- https://iem-student.org/procedural-sedation-and-analgesia/. (Rahman N: Procedural sedation and analgesia: International Emergency Medicine Education Project.) Accessed May 2, 2019.
- Rahman NHNA, Hashim A: The use of propofol for procedural sedation and analgesia in the emergency department: a comparison with midazolam. *Emerg Med J* 28: 861, 2011. [PMID: 21098799]
- Miller KA, Andolfatto G, Miner JR, Burton JH, Krauss BS: Clinical practice guideline for emergency department procedural sedation with propofol: 2018 update. *Ann Emerg Med* 73: 470, 2019. [PMID: 25544732]
- Green SM, Andolfatto G, Krauss BS: Ketofol for procedural sedation revisited: pro and con. Ann Emerg Med 65: 489, 2015. [PMID: 25544732]
- Miner JR, Driver BE, Moore JC, et al: Randomized clinical trial of propofol versus alfentanil for moderate procedural sedation in the emergency department. *Am J Emerg Med* 35: 1451, 2017. [PMID: 28438447]
- Miner JR, Gray R, Delavari P, Patel S, Patel R, Plummer D: Alfentanil for procedural sedation in the emergency department. Ann Emerg Med 57: 117, 2011. [PMID: 20947206]
- Miner JR, Gray RO, Stephens D, Biros MH: Randomized clinical trial of propofol with and without alfentanil for deep procedural sedation in the emergency department. *Acad Emerg Med* 16: 825, 2009. [PMID: 19845550]
- Sacchetti A, Jachowski J, Heisler J, Cortese T: Remifentanil use in emergency department patients: initial experience. *Emerg Med J* 29: 928, 2012. [PMID: 21873319]
- Dunn MJG, Mitchell R, DeSouza CIB, Drummond GB, Waite A: Recovery from sedation with remifentanil and propofol, compared with morphine and midazolam, for reduction in anterior shoulder dislocation. *Emerg Med J* 28: 6, 2011. [PMID: 20360492]
- Kasmaee VM, Mahdi S, Zibari Z, Nargesi MA: Remifentanil versus propofol/fentanyl combination in procedural sedation for dislocated shoulder reduction: a clinical trial. *Emerg (Tehran)* 4: 92, 2016. [PMID: 27274520]
- Gerlach AT, Dasta JF: Dexmedetomidine: an updated review. Ann Pharmacother 41: 245, 2017. [PMID: 17299013]
- Miner JR, Burton JH: Clinical practice advisory: emergency department procedural sedation with propofol. Ann Emerg Med 50: 182, 2007. [PMID: 17321006]
- Weerink MAS, Struys MMRF, Hannivoort LN, et al: Clinical pharmacokinetics and pharmacodynamics of dexmedetomidine. *Clin Pharmacokinet* 56: 893, 2017. [PMID: 28105598]
- Barends CR, Absalom A, van Minnen B, Vissink A, Visser A: Dexmedetomidine versus midazolam in procedural sedation. A systematic review of efficacy and safety. *PLoS One* 12: e0169525, 2017. [PMID: 28107373]
- Jewett J, Phillips WJ: Dexmedetomidine for procedural sedation in the emergency department. *Eur J Emerg Med* 17: 60, 2010. [PMID: 20029276]
- Buhre W, Disma N, Hendrickx J, et al: European Society of Anaesthesiology Task Force on Nitrous Oxide: a narrative review of its role in clinical practice. *Br J Anaesth* 122: 587, 2019. [PMID: 30916011]
- Bahn EL, Holt KR: Procedural sedation and analgesia: a review and new concepts. *Emerg Med Clin North Am* 23: 503, 2005. [PMID: 15829394]

- Miner JR, Biros M, Krieg S, Johnson C, Heegaard W, Plummer D: Randomized clinical trial of propofol versus methohexital for procedural sedation during fracture and dislocation reduction in the emergency department. *Acad Emerg Med* 10: 931, 2003. [PMID: 12957974]
- Lerman B, Yoshida D, Levitt MA: A prospective evaluation of the safety and efficacy of methohexital in the emergency department. *Am J Emerg Med* 14: 351, 1996. [PMID: 8768153]
- https://www.micromedexsolutions.com/. (IBM Watson Health Information: Dexmedetomidine Drug Result Page. Greenwood Village, Colorado, USA.) Accessed April 20, 2019.
- https://www.micromedexsolutions.com/. (IBM Watson Health Information: Etomidate Drug Result Page. Greenwood Village, Colorado, USA.) Accessed April 19, 2019.
- https://www.micromedexsolutions.com/. (IBM Watson Health Information: Fentanyl Citrate Drug Result Page. Greenwood Village, Colorado, USA.) Accessed April 19, 2019.
- Falk J, Zed PJ: Etomidate for procedural sedation in the emergency department. Ann Pharmacother 38: 1272, 2004. [PMID: 15173551]
- 93. https://www.micromedexsolutions.com/. (Alfentanil Drug Result Page.) Accessed April 19, 2019.
- https://www.accessdata.fda.gov/drugsatfda_docs/label/2004/20630se5-005_ultiva_lbl .pdf. (U.S. Food and Drug Administration: Product Information: ULTIVA [Remifentanil] for Injection. North Chicago, IL 60064.) Accessed April 17, 2019.
- 95. https://www.accessdata.fda.gov/drugsatfda_docs/label/2017/018227s032lbl.pdf. (Product Information: AMIDATE[™] [Etomidate] Injection, USP. Lake Forest, IL 60045.) Accessed April 17, 2019.
- 96. https://www.micromedexsolutions.com/. (IBM Watson Health Information: Midazolam Hydrochloride Drug Result Page. In: IBM Micromedex[®] DRUGDEX[®] [electronic version]. Greenwood Village, Colorado, USA.) Accessed April 19, 2019.
- https://www.accessdata.fda.gov/drugsatfda_docs/label/2013/016619s034lbl.pdf. (Product Information: Fentanyl Citrate Injection, USP. Lake Forest, IL; 2012.) Accessed April 17, 2019.
- https://www.fda.gov.medwatch. (U.S. Food and Drug Administration: Product Information: ALFENTANIL HCI Injection for Intravenous Use. Lake Forest, IL 60045; 2016.) Accessed April 17, 2019.
- https://www.micromedexsolutions.com/. (IBM Watson Health Information: Nitrous Oxide Drug Result Page. Greenwood Village, Colorado, USA.) Accessed April 20, 2019.
- Cicero M, Graneto J: Etomidate for procedural sedation in the elderly: a retrospective comparison between age groups. Am J Emerg Med 29: 1111, 2011. [PMID: 21030192]
- 101. https://emcrit.org/emcrit/procedural-sedation-3/. (Weingart S: EMCrit Podcast 151: Procedural Sedation Part 3 with Jim Miner. EMCrit Blog. Published 2015.) Accessed April 15, 2019.
- Burton JH, Gerardo CJ, et al: Clinical policy: procedural sedation and analgesia in the emergency department. Ann Emerg Med 63: 247, 2014. [PMID: 24438649]
- 103. Cevik E, Bilgic S, Kilic E, et al: Comparison of ketamine-low-dose midozolam with midazolam-fentanyl for orthopedic emergencies: a double-blind randomized trial. Am J Emerg Med 31: 108, 2013. [PMID: 22944555]
- 104. Taylor DM, O'Brien D, Ritchie P, Pasco J, Cameron PA: Propofol versus midazolam/ fentanyl for reduction of anterior shoulder dislocation. Acad Emerg Med 12: 13, 2005. [PMID: 15635132]
- 105. Lameijer H, Sikkema YT, Pol A, et al: Propofol versus midazolam for procedural sedation in the emergency department: a study on efficacy and safety. Am J Emerg Med 35: 692, 2017. [PMID: 28073611]
- Baombe JP, Howard L: Bet 1: lidocaine with propofol to reduce pain on injection. *Emerg* Med J 34: 8, 2017. [PMID: 28724566]
- Aldrete JA, Kroulik D: A postanesthetic recovery score. Anesth Analg 49: 924, 1970. [PMID: 5534693]
- Newman DH, Azer MM, Pitetti RD, Singh S: When is a patient safe for discharge after procedural sedation? The timing of adverse effect events in 1,367 pediatric procedural sedations. *Ann Emerg Med* 42: 627, 2003. [PMID: 14581914]
- 109. Hisamuddin N, Rahman NA, Hashim A: Is it safe to use propofol in the emergency department? A randomized controlled trial to compare propofol and midazolam. *Int J Emerg Med* 3: 105, 2010. [PMID: 20606819]
- 110. Hohl CM, Sadatsafavi M, Nosyk B, Anis AH: Safety and clinical effectiveness of midazolam versus propofol for procedural sedation in the emergency department: a systematic review. Acad Emerg Med 15: 1, 2008. [PMID: 18211306]
- 111. Zed PJ, Abu-Laban RB, Chan WWY, Harrison DW: Efficacy, safety and patient satisfaction of propofol for procedural sedation and analgesia in the emergency department: a prospective study. *Can J Emerg Med* 9: 421, 2007. [PMID: 18072987]
- Senula G, Sacchetti A, Moore S, Cortese T: Impact of addition of propofol to ED formulary. Am J Emerg Med 28: 880, 2010. [PMID: 20887909]
- 113. Kuypers MI, Mencl F, Verhagen MF, Kok MF, Dijksman LM, Simons MP: Safety and efficacy of procedural sedation with propofol in a country with a young emergency medicine training program. *Eur J Emerg Med* 18: 162, 2011. [PMID: 21164345]
- 114. McGrane O, Hopkins G, Nielson A, Kang C: Procedural sedation with propofol: A retrospective review of the experiences of an emergency medicine residency program 2005 to 2010. Am J Emerg Med 30: 706, 2012. [PMID: 21641148]
- 115. Uri O, Behrbalk E, Haim A, Kaufman E, Halpern P: Procedural sedation with propofol for painful orthopaedic manipulation in the emergency department expedites patient management compared with a midazolam/ketamine regimen: a randomized prospective study. J Bone Joint Surg Am 93: 2255, 2011. [PMID: 22258771]
- Lee YK, Chen CC, Lin HY, Hsu CY, Su YC: Propofol for sedation can shorten the duration of ED stay in joint reductions. *Am J Emerg Med* 30: 1352, 2012. [PMID: 22169579]
- Black E, Campbell SG, Magee K, Zed PJ: Propofol for procedural sedation in the emergency department: a qualitative systematic review. *Ann Pharmacother* 47: 856, 2013. [PMID: 23695645]

- Haeseler G, Störmer M, Bufler J, et al: Propofol blocks human skeletal muscle sodium channels in a voltage-dependent manner. *Anesth Analg* 92: 1192, 2001. [PMID: 11323345]
- 119. https://www.asahq.org/standards-and-guidelines/statement-on-safe-use-of-propofol. (American Society of Anesthesiologists. Statement on safe use of propofol, published 2014.) Accessed April 18, 2019.
- 120. Burton FM, Lowe DJ, Millar J, Corfield AR, Sim MAB: A study protocol for a feasibility study: Propofol Target-Controlled Infusion in Emergency Department Sedation (ProTEDS)—a multi-centre feasibility study protocol. *Pilot Feasibility Stud* 5: 1, 2019. [PMID: 30820338]
- Schnider TW, Minto CF, Struys MMRF, Absalom AR: The safety of target-controlled infusions. Anesth Analg 122: 79, 2016. [PMID: 26516801]
- 122. Green SM, Krauss BS: Target-controlled infusions could improve the safety and efficacy of emergency department propofol sedation. *Anesth Analg* 122: 283, 2016. [PMID: 26678474]
- 123. Dziedzic A: Is propofol safe for food allergy patients? A review of the evidence. SAAD Dig 14: 430, 2016. [PMID: 27145556]
- Baker MT, Naguib M: Propofol: the challenges of formulation. Anesthesiology 103: 860, 2005. [PMID: 16192780]
- 125. Molina-Infante J, Arias A, Vara-Brenes D, et al: Propofol administration is safe in adult eosinophilic esophagitis patients sensitized to egg, soy, or peanut. *Allergy* 69: 388, 2014. [PMID: 24447028]
- 126. Wiskin AE, Smith J, Wan SKY, Nally MWJ, Shah N: Propofol anaesthesia is safe in children with food allergy undergoing endoscopy. *Br J Anaesth* 115: 145, 2015. [PMID: 26089466]
- 127. Lambert R, Maffei F, Wadams H: Safety of propofol sedation in children with known food allergies. *Crit Care Med* 39: 234, 2011.
- Murphy A, Campbell DE, Baines D, Mehr S: Allergic reactions to propofol in eggallergic children. Anesth Analg 113: 140, 2011. [PMID: 21467558]
- 129. https://www.aaaai.org/conditions-and-treatments/library/allergy-library/soy-egganesthesia (Pongdee T: Soy allergic and egg allergic patients can safely receive anesthesia. American Academy of Allergy Asthma and Immunology.) Accessed May 19, 2019.
- Nathanson MH, Gajraj NM, Russell JA: Prevention of pain on injection of propofol: a comparison of lidocaine with alfentanil. *Anesth Analg* 82: 469, 1996. [PMID: 8623944]
- Picard P, Tramèr MR: Prevention of pain on injection with propofol: a quantitative systematic review. Anesth Analg 90: 963, 2011. [PMID: 10735808]
- 132. Sih K, Campbell SG, Talion JM, Magee K, Zed PJ: Ketamine in adult emergency medicine: controversies and recent advances. *Ann Pharmacother* 45: 1525, 2011. [PMID: 22147144]
- 133. Jamal SM, Fathil SM, Nidzwani MM, Ismail AK, Yatim FM: Intravenous ketamine is as effective as midazolam/fentanyl for procedural sedation and analgesia in the emergency department. *Med J Malaysia* 66: 231, 2011. [PMID: 22111446]
- Newton A, Fitton L: Intravenous ketamine for adult procedural sedation in the emergency department: a prospective cohort study. *Emerg Med J* 25: 498, 2008. [PMID: 18660398]
- 135. Vardy JM, Dignon N, Mukherjee N, Sami DM, Balachandran G, Taylor S: Audit of the safety and effectiveness of ketamine for procedural sedation in the emergency department. *Emerg Med J* 25: 579, 2008. [PMID: 18723707]
- 136. Bredmose PP, Lockey DJ, Grier G, Watts B, Davies G: Pre-hospital use of ketamine for analgesia and procedural sedation. *Emerg Med J* 26: 62, 2009. [PMID: 19104109]
- https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2148883/pdf/anesthprog00225-0014
 .pdf. (Bergman SA: Ketamine: review of its pharmacology and its use in pediatric anesthesia.) Accessed April 9, 2019.
- Lindefors N, Barati S, O'Connor WT: Differential effects of single and repeated ketamine administration on dopamine, serotonin and GABA transmission in rat medial prefrontal cortex. *Brain Res* 759: 205, 1997. [PMID: 9221938]
- 139. Sassano-Higgins S, Baron D, Juarez G, Esmaili N, Gold M: A review of ketamine abuse and diversion. *Depress Anxiety* 33: 718, 2016. [PMID: 27328618]
- 140. Hartvig P, Valtysson J, Lindner K-J, et al: Central nervous system effects of subdissociative doses of (S)-ketamine are related to plasma and brain concentrations measured with positron emission tomography in healthy volunteers. *Clin Pharmacol Ther* 58: 165, 1995. [PMID: 7648766]
- 141. Platt CW: Beneath the furrowed brow. Anesthesiology 125: 599, 2016.
- 142. Motov S, Mann S, Drapkin J, et al: Intravenous subdissociative-dose ketamine versus morphine for acute geriatric pain in the emergency department: a randomized controlled trial. Am J Emerg Med 37: 220, 2019. [PMID: 29807629]
- 143. Motov S, Rockoff B, Cohen V, et al: Intravenous subdissociative-dose ketamine versus morphine for analgesia in the emergency department: a randomized controlled trial. *Ann Emerg Med* 66: 222, 2015. [PMID: 25817884]
- 144. Motov S, Mai M, Pushkar I, et al: A prospective randomized, double-dummy trial comparing IV push low dose ketamine to short infusion of low dose ketamine for treatment of pain in the ED. Am J Emerg Med 35: 1095, 2017. [PMID: 28283340]
- 145. Pourmand A, Mazer-Amirshahi M, Royall C, Alhawas R, Shesser R: Low dose ketamine use in the emergency department, a new direction in pain management. Am J Emerg Med 35: 918, 2017. [PMID: 28285863]
- 146. Beaudoin FL, Lin C, Guan W, Merchant RC: Low-dose ketamine improves pain relief in patients receiving intravenous opioids for acute pain in the emergency department: results of a randomized, double-blind, clinical trial. *Acad Emerg Med* 21: 1194, 2014. [PMID: 25377395]
- 147. Miller JP, Schauer SG, Ganem VJ, Bebarta VS: Low-dose ketamine vs morphine for acute pain in the ED: a randomized controlled trial. Am J Emerg Med 33: 402, 2015. [PMID: 25624076]

- CHAPTER 37: Procedural Sedation and Analgesia in Adults **3**
- Ghate G, Clark E, Vaillancourt C: Systematic review of the use of low-dose ketamine for analgesia in the emergency department. *Can J Emerg Med* 20: 36, 2018. [PMID: 28655364]
- 149. Ahmadi O, Isfahani MN, Feizi A: Comparing low-dose intravenous ketaminemidazolam with intravenous morphine with respect to pain control in patients with closed limb fracture. J Res Med Sci 19: 502, 2014. [PMID: 25197290]
- Strayer RJ, Nelson LS: Adverse events associated with ketamine for procedural sedation in adults. *Am J Emerg Med* 26: 985, 2008. [PMID: 19091264]
- Zanos P, Moaddel R, Morris PJ, et al: Ketamine and ketamine metabolite pharmacology: insights into therapeutic mechanisms. *Pharmacol Rev* 70: 621, 2018. [PMID: 29945898]
- Vien A, Chhabra N: Ketamine-induced muscle rigidity during procedural sedation mitigated by intravenous midazolam. Am J Emerg Med 35: 200.e3, 2017. [PMID: 27595173]
- 153. Green SM, Roback MG, Kennedy RM, Krauss B: Pain management and sedation/ concepts clinical practice guideline for emergency department ketamine dissociative sedation: 2011 update. Ann Emerg Med 57: 449, 2011. [PMID: 21256625]
- Driver BE, Reardon RF: Apnea after low-dose ketamine sedation during attempted delayed sequence intubation. Ann Emerg Med 69: 34, 2017. [PMID: 27692755]
- 155. Sim TB, Seet CM: To study the effectiveness and safety of ketamine and midazolam procedural sedation in the incision and drainage of abscesses in the adult emergency department. *Eur J Emerg Med* 15: 169, 2008. [PMID: 18460960]
- 156. Sener S, Eken C, Schultz CH, Serinken M, Ozsarac M: Ketamine with and without midazolam for emergency department sedation in adults: a randomized controlled trial. *Ann Emerg Med* 57: 109, 2011. [PMID: 20970888]
- 157. Strayer RJ, Shy BD: Best practice during procedural sedation with ketamine. Am J Emerg Med 35: 315, 2017. [PMID: 27852527]
- Andolfatto G, Willman E: A prospective case series of single-syringe ketamine-propofol (ketofol) for emergency department procedural sedation and analgesia in adults. *Acad Emerg Med* 18: 237, 2011. [PMID: 21401785]
- 159. https://www.accessdata.fda.gov/drugsatfda_docs/label/2017/016812s043lbl.pdf. (U.S. Food and Drug Administration: Product Information: KETALAR [Ketamine Hydro-chloride] Injection. Chestnut Ridge, NY 10977.) Accessed April 21, 2019.
- 160. Himmelseher S, Durieux ME: Revising a dogma: ketamine for patients with neurological injury? Anesth Analg 101: 524, 2005. [PMID: 16037171]
- 161. Hughes S: BET 3: is ketamine a viable induction agent for the trauma patient with potential brain injury. *Emerg Med J* 28: 1076, 2011. [PMID: 22101599]
- Bar-Joseph G, Guilburd Y, Tamir A, Guilburd JN: Effectiveness of ketamine in decreasing intracranial pressure in children with intracranial hypertension. *J Neurosurg Pediatr* 4: 40, 2009. [PMID: 19569909]
- 163. Zeller FA, Teitelbaum J, West M, Gillman LM: The ketamine effect on ICP in traumatic brain injury. *Neurocrit Care* 21: 163, 2014. [PMID: 24515638]
- 164. Cohen L, Athaide V, Wickham ME, et al: The effect of ketamine on intracranial and cerebral perfusion pressure and health outcomes: a systematic review. Ann Emerg Med 65: 43, 2015. [PMID: 25064742]
- 165. Green SM, Andolfatto G, Krauss BS: Ketamine and intracranial pressure: no contraindication except hydrocephalus. Ann Emerg Med 65: 52, 2015. [PMID: 25245275]
- 166. Waack J, Shepherd M, Andrew E, et al: Delayed sequence intubation by intensive care flight paramedics in Victoria, Australia. *Prehosp Emerg Care* 22: 588, 2018. [PMID: 29405806]
- 167. Coralic Z, Sawe HR, Mfinanga JA, et al: Ketamine procedural sedation in the emergency department of an urban tertiary hospital in Dar es Salaam, Tanzania. *Emerg Med J* 35: 214, 2018. [PMID: 29358491]
- Wood-Thompson DK, Enyuma OA, Laher AE: Procedural sedation and analgesia practices in the emergency centre. Afr J Emerg Med 9: 8, 2019. [PMID: 30873345]
- 169. Zietlow J, Berns K, Jenkins D, Zietlow S: Prehospital use of ketamine: effectiveness in critically ill and injured patients. *Mil Med* 184: 542, 2019. [PMID: 30901477]
- Lawthaweesawat C, Harris R, Isara W, Pongpirul K: Prehospital care of the 13 hypothermic, anesthetized patients in the thailand cave rescue. N Engl J Med 380: 1372, 2019. [PMID: 30943344]
- Emerson L, Coogle C: A 54-year-old man entrapped in a truck. J Emerg Nurs 44: 292, 2018. [PMID: 28943078]
- 172. https://www.emrap.org. (Swadron S, Bugg W: Emergency medicine reviews and perspectives: a case of entrapment—field amputation. emergency medicine reviews and perspectives.) Accessed May 19, 2019.
- Miner JR, Danahy M, Moch A, Biros M: Randomized clinical trial of etomidate versus propofol for procedural sedation in the emergency department. *Ann Emerg Med* 49: 15, 2007. [PMID: 16997421]
- Burton JH, Bock AJ, Strout TD, Evie Marcolini BG: Etomidate and midazolam for reduction of anterior shoulder dislocation: a randomized, controlled trial. *Ann Emerg Med* 40: 496, 2002. [PMID: 12399793]
- 175. Walls RM, Murphy MF: Clinical controversies: etomidate as an inducation agent for endotracheal intubation in patients with sepsis: continue to use etomidate for intubation of patients with septic shock. Ann Emerg Med 52: 13, 2008. [PMID: 18565378]
- 176. Du Y, Chen YJ, He B, et al: The effects of single-dose etomidate versus propofol on cortisol levels in pediatric patients undergoing urologic surgery: a randomized controlled trial. Anesth Analg 121: 1580, 2015. [PMID: 26496368]
- 177. Wahlen BM, El-Menyar A, Asim M, et al: Rapid sequence induction (RSI) in trauma patients: insights from healthcare providers. *World J Emerg Med* 10: 19, 2019. [PMID: 30598714]
- Warnecke T, Dobbermann M, Becker T, et al: Performance of prehospital emergency anesthesia and airway management: an online survey. *Anaesthesist* 67: 654, 2018. [PMID: 29959500]
- Upchurch CP, Grijalva CG, Russ S, et al: Comparison of etomidate and ketamine for induction during rapid sequence intubation of adult trauma patients. *Ann Emerg Med* 69: 24, 2017. [PMID: 27993308]

4 SECTION 5: Analgesia, Anesthesia, and Procedural Sedation

- Dettmer MR Dellinger RP: The use of etomidate for rapid sequence induction in septic patients J Thorac Dis 7: 1684, 2015. [PMID: 26623082]
- 181. Clinkard D, Priestap F, Ridi S, et al: Anesthesiologist and emergency medicine physician attitudes and knowledge regarding etomidate for intubation. J Intensive Care Med 18: 885066618804989, 2018. [PMID: 30336713]
- 182. Zhou C, Zhu Y, Liu Z, et al: Effect of pretreatment with midazolam on metomidateinduced myoclonus: a meta-analysis. J Int Med Res 45: 3999, 2017. [PMID: 28415947]
- 183. Thomas MC, Jennett-Reznek AM, Patanwala AE: Combination of ketamine and propofol versus either agent alone for procedural sedation in the emergency department. Am J Heal Pharm 68: 2248, 2011. [PMID: 22095813]
- 184. Miner JR, Gray RO, Bahr J, Patel R, McGill JW: Randomized clinical trial of propofol versus ketamine for procedural sedation in the emergency department. *Acad Emerg Med* 17: 604, 2010. [PMID: 20624140]
- 185. Willman EV, Andolfatto G: A prospective evaluation of "ketofol" (ketamine/propofol combination) for procedural sedation and analgesia in the emergency department. Ann Emerg Med 49: 23, 2007. [PMID: 17059854]
- 186. Arora S: Combining ketamine and propofol ("ketofol") for emergency department procedural sedation and analgesia: a review. West J Emerg Med 9: 20, 2008. [PMID: 19561698]
- David H, Shipp J: A randomized controlled trial of ketamine/propofol versus propofol alone for emergency department procedural sedation. *Ann Emerg Med* 57: 435, 2011. [PMID: 21256626]
- Green SM, Andolfatto G, Krauss B: Ketofol for Procedural Sedation? Pro and Con. Ann Emerg Med 57: 444, 2011. [PMID: 21237532]
- 189. Miner JR, Moore JC, Austad EJ, Plummer D, Hubbard L, Gray RO: Randomized, double-blinded, clinical trial of propofol, 1:1 propofol/ketamine, and 4:1 propofol/ketamine for deep procedural sedation in the emergency department. *Ann Emerg Med* 65: 479, 2015. [PMID: 25441247]
- 190. Nejati A, Moharari RS, Ashraf H, Labaf A, Golshani K: Ketamine/propofol versus midazolam/fentanyl for procedural sedation and analgesia in the emergency department: a randomized, prospective, double-blind trial. Acad Emerg Med 18: 800, 2011. [PMID: 21843215]
- 191. Andolfatto G, Abu-Laban RB, Zed PJ, et al: Ketamine-propofol combination (ketofol) versus propofol alone for emergency department procedural sedation and analgesia: a randomized double-blind trial. Ann Emerg Med 59: 504, 2012. [PMID: 22401952]
- http://www.who.int/gho/publications/world_health_statistics/2013/en/. (World Health Organization: World Health Statistics, 2013.) Accessed May 19, 2019.
- 193. Ghojazadeh M, Sanaie S, Paknezhad SP: Using ketamine and propofol for procedural sedation of adults in the emergency department: a systematic review and meta-analysis. *Adv Pharm Bull* 9: 5, 2019. [PMID: 31011553]
- 194. Miner J: Ketamine or ketofol: do we have enough evidence to know which one to use? Acad Emerg Med 24: 1511, 2017. [PMID: 28802082]
- 195. https://www.accessdata.fda.gov/drugsatfda_docs/label/2017/208878Orig1s000lbl.pdf. (Product Information: MIDAZOLAM Injection, USP. Lake Zurich, IL 60047.) Accessed April 17, 2019.
- 196. Aminiahidashti H, Shafiee S, Hosseininejad SM, et al: Propofol-fentanyl versus propofolketamine for procedural sedation and analgesia in patients with trauma. Am J Emerg Med 36: 1766, 2018. [PMID: 29397258]
- 197. Conti G, Arcangeli A, Antonelli M, et al: Sedation with sufentanil in patients receiving pressure support ventilation has no effects on respiration: a pilot study. *Can J Anaesth* 51: 494, 2004. [PMID: 15128638]
- 198. https://www.micromedexsolutions.com/micromedex2/librarian/PFDefaultActionId/ evidencexpert.DoIntegratedSearch?navitem=topHome&isToolPage=true#. (Remifentanil Drug Result Page.) Accessed April 19, 2019.
- 199. Kisilewicz M, Rosenberg H, Vaillancourt C: Remifentanil for procedural sedation: a systematic review of the literature. *Emerg Med J* 34: 294, 2017. [PMID: 28249938]
- 200. Dunn MJG, Mitchell R, De Souza C, Drummond G: Evaluation of propofol and remifentanil for intravenous sedation for reducing shoulder dislocations in the emergency department. *Emerg Med J* 23: 57, 2006. [PMID: 16373806]
- Çoruh B, Tonelli MR, Park DR: Fentanyl-induced chest wall rigidity case report. Chest 143: 1145, 2013. [PMID: 23546488]
- http://www.fda.gov/medwatch. (Product Information: PRECEDEX (Dexmedetomidine Hydrochloride) Injection Label. Lake Forest, IL 60045.) Accessed April 17, 2019.
- Chawla N, Boateng A, Deshpande R: Procedural sedation in the ICU and emergency department. Curr Opin Anaesthesiol 30: 507, 2017. [PMID: 28562388]
- 204. http://clinicaltrials.gov. (Gerlach AT, Murphy CV, Dasta JF: Critical care an updated focused review of dexmedetomidine in adults, 2009.) Accessed March 31, 2019.
- Bailey AM, Baum RA, Horn K, et al: Review of Intranasally administered medications for use in the emergency department. J Emerg Med 53: 38, 2017. [PMID: 28259526]

- 206. https://www.boconline.co.uk/en/images/entonox_tcm410-43539.pdf. (Product Information: ENTONOX[®] Essential Safety Information. Worsley, Manchester, UK, 2011.) Accessed April 20, 2019.
- 207. https://www.accessdata.fda.gov/drugsatfda_docs/label/2008/011559s041lbl.pdf. (Product Information: Brevital ® Sodium Methohexital Sodium for Injection, USP for Intravenous Use. Bristol, TN 37620.) Accessed April 20, 2019.
- Austin T, Vilke GM, Nyheim E, et al: Safety and effectiveness of methohexital for procedural sedation in the emergency department. *J Emerg Med* 24: 315, 2003. [PMID: 12676304]
- 209. Leykin Y, Therapy P, Miotto L, Pellis T: Pharmacokinetic considerations in the obese. Best Pract Res Clin Anaesthesiol 25: 27, 2011. [PMID: 21516911]
- Rogerson CM, Abulebda K, Hobson MJ: Association of BMI With propofol dosing and adverse events in children with cancer undergoing procedural sedation. 7: 542, 2017. [PMID: 28798230]
- Willis S, Bordelon GJ, Rana MV: Perioperative pharmacologic considerations in obesity. *Anesthesiol Clin* 35: 247, 2017. [PMID: 28526146]
- https://www.accessdata.fda.gov/drugsatfda_docs/label/2014/019627s062lbl.pdf. (Product Information: DIPRIVAN (Propofol) Injection Emulsion, USP. Lake Zurich, IL 60047.) Accessed April 21, 2019.
- Ingrande J, Lemmens HJM: Dose adjustment of anaesthetics in the morbidly obese. Br J Anaesth 105: i16, 2010. [PMID: 21148651]
- 214. Gaszynski TM, Jakubiak J, Szewczyk T: Etomidate can be dosed according to ideal body weight in morbidly obese patients. *Eur J Anaesthesiol* 31: 713, 2014. [PMID: 25101716]
- 215. Sultana A, Torres D, Schumann R: Special indications for opioid free anaesthesia and analgesia, patient and procedure related: including obesity, sleep apnoea, chronic obstructive pulmonary disease, complex regional pain syndromes, opioid addiction and cancer surgery. Best Pract Res Clin Anaesthesiol 31: 547, 2017. [PMID: 29739543]
- 216. Homfray G, Palmer A, Grimsmo-Powney H, Appelboam A, Lloyd G: Procedural sedation of elderly patients by emergency physicians: a safety analysis of 740 patients. Br J Anaesth 121: 1236, 2018. [PMID: 30442250]
- 217. Patanwala AE, Christich AC, Jasiak KD, Edwards CJ, Phan H, Snyder EM: Pharmacology in emergency medicine: age-related differences in propofol dosing for procedural sedation in the emergency department. J Emerg Med 44: 823, 2013. [PMID: 23333181]
- Bellolio MF, Gilani WI, Barrionuevo P, et al: Incidence of adverse events in adults undergoing procedural sedation in the emergency department: a systematic review and meta-analysis. *BMJ Open* 6: e011384, 2016. [PMID: 27311910]
- 219. http://www.fda.gov/medwatch. (U.S. Food and Drug Administration: Product Information: VAZCULEP [Phenylephrine Hydrochloride] Injection for Intravenous Use. Chesterfield, MO 63005.) Accessed April 19, 2019.
- 220. http://www.fda.gov/medwatch. (U.S. Food and Drug Administration: Product Information: ADRENALIN [Epinephrine] Injection. Rochester, MI 48307.) Accessed April 19, 2019.
- Weaver CS, Terrell KM, Bassett R, et al: ED procedural sedation of elderly patients: is it safe? Am J Emerg Med 29: 541, 2011. [PMID: 20825829]
- 222. Jacques KG, Dewar A, Gray A, Kerslake D, Leal A, Lees F: Procedural sedation and analgesia in a large UK emergency department: factors associated with complications. *Emerg Med J* 28: 1036, 2011. [PMID: 21109703]
- 223. Taylor DM, Bell A, Holdgate A, et al: Risk factors for sedation-related events during procedural sedation in the emergency department. *Emerg Med Australas*. 23: 466, 2011. [PMID: 21824314]
- 224. Holdgate A, Taylor DM, Bell A, et al: Factors associated with failure to successfully complete a procedure during emergency department sedation. *Emerg Med Australas* 23: 474, 2011. [PMID: 21824315]
- 225. http://rebelem.com/complications-of-procedural-sedation/. (Rezaie S: Complications of procedural sedation. REBEL EM. Published 2016.) Accessed September 4, 2019.
- 226. Williams MR, Ward DS, Carlson D, et al: Evaluating patient-centered outcomes in clinical trials of procedural sedation, part 1 efficacy. *Anesth Analg* 124: 821, 2016. [PMID: 27622720]
- 227. Ward DS, Williams MR, Berkenbosch JW, et al: Evaluating patient-centered outcomes in clinical trials of procedural sedation, part 2 safety: sedation consortium on endpoints and procedures for treatment, education, and research recommendations. *Anesth Analg* 127: 1146, 2018. [PMID: 29782404]
- 228. http://www.emdocs.net/top-10-errors-of-procedural-sedation-in-the-emergencydepartment/. (Vetter N, Sturm J: Emergency Medicine Education 10: procedural sedation errors in the emergency department.) Accessed April 19, 2019.
- 229. https://lifeinthefastlane.com/procedural-sedation/. (Rothwell S, Dodds M: Procedural sedation. Life in the Fast Lane. Medical Blog.) Accessed April 19, 2019.