

Pain Management and Procedural Sedation for Infants and Children

Samina Ali
Naveen Poonai

REFERENCES

- Todd KH, Ducharme J, Choiniere M, et al: Pain in the emergency department: results of the pain and emergency medicine initiative (PEMI) multicenter study. *J Pain* 8: 460, 2007. [PMID: 17306626]
- Poonai N, Cowie A, Davidson C, et al: Reported provision of analgesia to patients with acute abdominal pain in Canadian paediatric emergency departments. *CJEM* 18: 323, 2016. [PMID: 26804807]
- Robb A, Ali S, Poonai N, Thompson GC: Canadian pediatric emergency department pain management for acute appendicitis. *CJEM* 17 (Suppl 2): S79, 2015.
- Trottier ED, Ali S, Le May S, Gravel J: Treating and reducing anxiety and pain in the pediatric emergency department: the TRAPPED survey. *Paediatr Child Health* 20: 239, 2015. [PMID: 26175559]
- Ali S, Chambers AL, Johnson DW, et al: Paediatric pain management practice and policies across Alberta emergency departments. *Paediatr Child Health* 19: 190, 2014. [PMID: 24855415]
- Drendel AL, Brousseau DC, Gorelick MH: Pain assessment for pediatric patients in the emergency department. *Pediatrics* 117: 1511, 2006. [PMID: 16651304]
- Downey LVA, Zun LS: Pain management in the emergency department and its relationship to patient satisfaction. *J Emerg Trauma Shock* 3: 326, 2010. [PMID: 21063553]
- Ali S, Weingarten LE, Kircher J, et al: A survey of caregiver perspectives on children's pain management in the emergency department. *CJEM* 18: 98, 2016. [PMID: 26205823]
- Magaret ND, Clark TA, Warden CR, Magnusson AR, Hedges JR: Patient satisfaction in the emergency department: a survey of pediatric patients and their parents. *Acad Emerg Med* 9: 1379, 2002. [PMID: 12460841]
- Taddio A, Ipp M, Thivakaran S, et al: Survey of the prevalence of immunization non-compliance due to needle fears in children and adults. *Vaccine* 30: 4807, 2012. [PMID: 22617633]
- Taddio A, Shah V, Gilbert-MacLeod C, Katz J: Conditioning and hyperalgesia in newborns exposed to repeated heel lances. *JAMA* 288: 857, 2002. [PMID: 12186603]
- Pate JT, Blount RL, Cohen LL, Smith AJ: Childhood medical experience and temperament as predictors of adult functioning in medical situations. *Child Health Care* 25: 281, 1996.
- Phillips DM: JCAHO pain management standards are unveiled. Joint Commission on Accreditation of Healthcare Organizations. *JAMA* 284: 428, 2000. [PMID: 10904487]
- Hatfield LA, Ely EA: Measurement of acute pain in infants: a review of behavioral and physiological variables. *Biol Res Nursing* 17: 100, 2015. [PMID: 25504956]
- Drendel AL, Kelly BT, Ali S: Pain assessment for children: overcoming challenges and optimizing care. *Pediatr Emerg Care* 27: 773, 2011. [PMID: 21822093]
- Kellogg KM, Fairbanks RJ, O'Connor AB, Davis CO, Shah MN: Association of pain score documentation and analgesic use in a pediatric emergency department. *Pediatr Emerg Care* 28: 1287, 2012. [PMID: 23187984]
- Merkel SI, Voepel-Lewis T, Shayevitz JR, Malviya S: The FLACC: a behavioral scale for scoring postoperative pain in young children. *Pediatr Nursing* 23: 293, 1997. [PMID: 9220806]
- Manworren RC, Hynan LS: Clinical validation of FLACC: preverbal patient pain scale. *Pediatr Nursing* 29: 140, 2003. [PMID: 12723828]
- Lawrence J, Alcock D, Kay J, McGrath PJ: The development of a tool to assess neonatal pain. *J Pain Symptom Manage* 6: 194, 1991.
- Blauer T, Gerstmann D: A simultaneous comparison of three neonatal pain scales during common NICU procedures. *Clin J Pain* 14: 39Y47, 1998. [PMID: 9535312]
- Tsze DS, von Baeyer CL, Bulloch B, Dayan PS: Validation of self-report pain scales in children. *Pediatrics* 132: e971, 2013. [PMID: 23999954]
- Stinson JN, Kavanagh T, Yamada J, Gill N, Stevens B: Systematic review of the psychometric properties, interpretability and feasibility of self-report pain intensity measures for use in clinical trials in children and adolescents. *Pain* 125: 143, 2006. [PMID: 16777328]
- Todd KH, Funk KG, Funk JP, et al: Clinical significance of reported changes in pain severity. *Ann Emerg Med* 27: 485, 1996. [PMID: 8604867]
- Tsze DS, von Baeyer CL, Pahalyants V, Dayan PS: Validity and reliability of the verbal numerical rating scale for children aged 4 to 17 years with acute pain. *Ann Emerg Med* 71: 691, 2018. [PMID: 29107409]
- Hjermstad MJ, Fayers PM, Haugen DF, et al: Studies comparing numerical rating scales, verbal rating scales, and visual analogue scales for assessment of pain intensity in adults: a systematic literature review. *J Pain Symptom Manage* 41: 1073, 2011. [PMID: 21621130]
- Bailey B, Daoust R, Doyon-Trottier E, Dauphin-Pierre S, Gravel J: Validation and properties of the verbal numeric scale in children with acute pain. *Pain* 149: 216, 2010. [PMID: 20188471]
- Malviya S, Voepel-Lewis T, Tait AR, et al: Pain management in children with and without cognitive impairment following spine fusion surgery. *Pediatr Anesth* 11: 453, 2001. [PMID: 11442864]
- Buffum MD, Hutt E, Chang VT, Craine MH, Snow AL: Cognitive impairment and pain management: review of issues and challenges. *J Rehab Res Dev* 44: 315, 2007. [PMID: 17551882]
- Crosta QR, Ward TM, Walker AJ, Peters LM: A review of pain measures for hospitalized children with cognitive impairment. *J Specialists Pediatr Nursing* 19: 109, 2014. [PMID: 24612473]
- Breau LM, MacLaren J, McGrath PJ, Camfield CS, Finley GA: Caregivers' beliefs regarding pain in children with cognitive impairment: relation between pain sensation and reaction increases with severity of impairment. *Clin J Pain* 19: 335, 2003. [PMID: 14600533]
- Le May S, Ali S, Khadra C, et al: Pain management of pediatric musculoskeletal injury in the emergency department: a systematic review. *Pain Res Manag* 2016: 4809394, 2016. [PMID: 27445614]
- Hartling L, Ali S, Dryden DM, et al: How safe are common analgesics for the treatment of acute pain for children? A systematic review. *Pain Res Manag* 2016: 5346819, 2016. [PMID: 28077923]
- Kelly LE, Sommer DD, Ramakrishna J, et al: Morphine or ibuprofen for post-tonsillectomy analgesia: a randomized trial. *Pediatrics* 135: 307, 2015. [PMID: 25624387]
- Derry CJ, Derry S, Moore RA: Single dose oral ibuprofen plus paracetamol (acetaminophen) for acute postoperative pain. *Cochrane Database Syst Rev* 6: CD010210, 2013. [PMID: 23794268]
- Bailey E, Worthington HV, van Wijk A, Yates JM, Coulthard P, Afzal Z: Ibuprofen and/or paracetamol (acetaminophen) for pain relief after surgical removal of lower wisdom teeth. *Cochrane Database Syst Rev* 12: CD004624, 2013. [PMID: 24338830]
- Bondarsky EE, Domingo AT, Matusa NM, Taylor MB, Thode HC, Singer AJ: Ibuprofen vs acetaminophen vs their combination in the relief of musculoskeletal pain in the ED: a randomized, controlled trial. *Am J Emerg Med* 31: 1357, 2013. [PMID: 23896011]
- Le May S, Ali S, Plint AC, et al: Oral analgesics utilization for children with musculoskeletal injury (OUCH trial): an RCT. *Pediatrics* 111: e20170186, 2017. [PMID: 29021235]
- Drendel AL, Gorelick MH, Weisman SJ, Lyon R, Brousseau DC, Kim MK: A randomized clinical trial of ibuprofen versus acetaminophen with codeine for acute pediatric arm fracture pain. *Ann Emerg Med* 54: 553, 2009. [PMID: 19692147]
- Clark E, Plint AC, Correll R, Gaboury I, Passi BL: A randomized, controlled trial of acetaminophen, ibuprofen, and codeine for acute pain relief in children with musculoskeletal trauma. *Pediatrics* 119: 460, 2007. [PMID: 17332198]
- Ali S, Drendel AL, Rosychuk RJ, et al: LO049: Ibuprofen or oxycodone? An observational cohort study of post-emergency department discharge management of children's fracture pain. *Can J Emerg Med* 18: S47, 2016.
- Poonai N, Bhullar G, Lin K, et al: Oral administration of morphine versus ibuprofen to manage postfracture pain in children: a randomized trial. *CMAJ* 186: 1358, 2014. [PMID: 25349008]
- <https://www.fda.gov/Drugs/DrugSafety/ucm549679.htm>. (U.S. Food and Drug Administration: FDA Drug Safety Communication: FDA restricts use of prescription codeine pain and cough medicines and tramadol pain medicines in children; recommends against use in breastfeeding women.) Accessed January 21, 2019.
- <http://healthycanadians.gc.ca/recall-alert-rappel-avis/hc-sc/2013/33915a-eng.php>. (Health Canada: Health Canada's review recommends codeine only be used in patients aged 12 and over.) Accessed August 18, 2017.
- Friedrichsdorf SJ, Postier AC, Lander TA, Tibesar RJ, Lu Y, Sidman JD: Tramadol versus codeine/acetaminophen after pediatric tonsillectomy: a prospective, double-blinded, randomized controlled trial. *J Opioid Manag* 11: 283, 2015. [PMID: 26312955]
- Saunders M, Adelgais K, Nelson D: Use of intranasal fentanyl for the relief of pediatric orthopedic trauma pain. *Acad Emerg Med* 17: 1155, 2010. [PMID: 21175512]
- Holdgate A, Cao A, Lo KM: The implementation of intranasal fentanyl for children in a mixed adult and pediatric emergency department reduces time to analgesic administration. *Acad Emerg Med* 17: 214, 2010. [PMID: 20070272]
- Graudins A, Meek R, Egerton-Warburton D, Oakley E, Seith R: The PICHFORK (Pain in Children Fentanyl or Ketamine) trial: a randomized controlled trial comparing intranasal ketamine and fentanyl for the relief of moderate to severe pain in children with limb injuries. *Ann Emerg Med* 65: 248, 2015. [PMID: 25447557]
- Motov S, Rosenbaum S, Vilke GM, Nakajima Y: Is there a role for intravenous subdissociative-dose ketamine administered as an adjunct to opioids or as a single agent for acute pain management in the emergency department? *J Emerg Med* 51: 752, 2016. [PMID: 27693070]
- Reynolds SL, Bryant KK, Studnek JR, et al: Randomized controlled feasibility trial of intranasal ketamine compared to intranasal fentanyl for analgesia in children with suspected extremity fractures. *Acad Emerg Med* 24: 1430, 2017. [PMID: 28926159]
- Yeaman F, Oakley E, Meek R, Graudins A: Sub-dissociative dose intranasal ketamine for limb injury pain in children in the emergency department: a pilot study. *Emerg Med Australas* 25: 161, 2013. [PMID: 23560967]
- Ali S, Drendel AL, Rosychuk RJ, et al: LO049: Ibuprofen or oxycodone? An observational cohort study of post-emergency department discharge management of children's fracture pain. *Can J Emerg Med* 18 (S1): S47, 2016.
- Poonai N, Bhullar G, Lin K, et al: Oral administration of morphine versus ibuprofen to manage postfracture pain in children: a randomized trial. *CMAJ* 1: 140907, 2014. [PMID: 25349008]
- Fein JA, Zempsky WT, Cravero JP; Committee on Pediatric Emergency Medicine and Section on Anesthesiology and Pain Medicine; American Academy of Pediatrics: Relief of pain and anxiety in pediatric patients in emergency medical systems. *Pediatrics* 130: e1391, 2012. [PMID: 23109683]
- Stevens BJ, Abbott LK, Yamada J, et al: Epidemiology and management of painful procedures in children in Canadian hospitals. *CMAJ* 183: E403, 2011. [PMID: 21464171]

55. Friedrichsdorf SJ, Postier A, Eull D, et al: Pain outcomes in a US children's hospital: a prospective cross-sectional survey. *Hosp Pediatr* 5: 18, 2015. [PMID: 25554755]
56. Farion KJ, Russell KF, Osmond MH, et al: Tissue adhesives for traumatic lacerations in children and adults. *Cochrane Database Syst Rev* 3: CD003326, 2002. [PMID: 12137689]
57. Karounis H, Gouin S, Eisman H, Chalut D, Pelletier H, Williams B: A randomized, controlled trial comparing long-term cosmetic outcomes of traumatic pediatric lacerations repaired with absorbable plain gut versus nonabsorbable nylon sutures. *Acad Emerg Med* 11: 730, 2004. [PMID: 15231459]
58. Stevens B, Yamada J, Lee GY, Ohlsson A: Sucrose for analgesia in newborn infants undergoing painful procedures. *Cochrane Database Syst Rev* 1: CD001069, 2013. [PMID: 23440783]
59. Poonai N, Alawi K, Rieder M, Lynch T, Lim R: A comparison of amethocaine and liposomal lidocaine cream as a pain reliever before venipuncture in children: a randomized control trial. *Pediatr Emerg Care* 28: 104, 2012. [PMID: 22270502]
60. Taddio A, Soin HK, Schuh S, Koren G, Scolnik D: Liposomal lidocaine to improve procedural success rates and reduce procedural pain among children: a randomized controlled trial. *CMAJ* 172: 1691, 2005. [PMID: 15967972]
61. Lander JA, Weltman BJ, So SS: EMLA and amethocaine for reduction of children's pain associated with needle insertion. *Cochrane Database Syst Rev* 3: CD004236, 2006. [PMID: 16856039]
62. Stoltz P, Manworren RC: Comparison of children's venipuncture fear and pain: randomized controlled trial of EMLA® and J-Tip Needleless Injection System®. *J Pediatr Nursing* 37: 91, 2017. [PMID: 28823623]
63. Jain S, Hegenbarth MA, Humiston SG, Gunter E, Anson L, Giovanni JE: Increasing ED use of jet injection of lidocaine for IV-related pain management. *Pediatrics* 139: e20161697, 2017. [PMID: 28280209]
64. Caltagirone R, Raghavan VR, Adelgais K, Roosevelt GE: A randomized double blind trial of needle-free injected lidocaine versus topical anesthesia for infant lumbar puncture. *Acad Emerg Med* 25: 310, 2018. [PMID: 29160002]
65. Jain S, Hegenbarth MA, Humiston SG, Gunter E, Anson L, Giovanni JE: Increasing ED use of jet injection of lidocaine for IV-related pain management. *Pediatrics* 139: e20161697, 2017. [PMID: 28280209]
66. Harman S, Zemek R, Duncan MJ, Ying Y, Petrich W: Efficacy of pain control with topical lidocaine-epinephrine-tetracaine during laceration repair with tissue adhesive in children: a randomized controlled trial. *CMAJ* 185: E629, 2013. [PMID: 23897942]
67. Godwin SA, Burton J, Gerardo CJ, et al: Clinical policy: procedural sedation and analgesia in the emergency department. *Ann Emerg Med* 63: 247, 2014. [PMID: 28395927]
68. Coté CJ, Wilson S; American Academy of Pediatrics; American Academy of Pediatric Dentistry: Guidelines for monitoring and management of pediatric patients before, during, and after sedation for diagnostic and therapeutic procedures: update 2016. *Pediatrics* 138: e20161212, 2016. [PMID: 27354454]
69. Bhatt M, Johnson D, Taljaard M, et al: Association of preprocedural fasting with outcomes of emergency department sedation in children. *JAMA Pediatr* 172: 678, 2018. [PMID: 29800944]
70. Cravero JP, Blike G, Beach M, et al: Incidence and nature of adverse events during pediatric sedation/anesthesia for procedures outside the operating room: report from the Pediatric Sedation Research Consortium. *Pediatrics* 118: 1087, 2006. [PMID: 16951002]
71. Bhatt M, Johnson DW, Chan J, et al: Risk factors for adverse events in emergency department procedural sedation for children. *JAMA Pediatr* 171: 957, 2017. [PMID: 28828486]
72. American Society of Anesthesiologists Committee: Practice guidelines for preoperative fasting and the use of pharmacologic agents to reduce the risk of pulmonary aspiration: application to healthy patients undergoing elective procedures. An updated report by the American Society of Anesthesiologists Committee on Standards and Practice Parameters. *Anesthesiology* 114: 495, 2011. [PMID: 21307770]
73. Dial S, Silver P, Bock K, Sagy M: Pediatric sedation for procedures titrated to a desired degree of immobility results in unpredictable depth of sedation. *Pediatr Emerg Care* 17: 414, 2001. [PMID: 11753184]
74. Sacchetti A, Senula G, Strickland J, et al: Procedural sedation in the community emergency department: initial results of the ProSCED registry. *Acad Emerg Med* 14: 41, 2007. [PMID: 16946280]
75. Hogan K, Sacchetti A, Aman L, et al: The safety of single-physician procedural sedation in the emergency department. *Emerg Med J* 23: 922, 2006. [PMID: 17130600]
76. Hartling L, Milne A, Foisy M, et al: What works and what's safe in pediatric emergency procedural sedation: an overview of reviews. *Acad Emerg Med* 23: 519, 2016. [PMID: 26858095]
77. Green SM, Roback MG, Krauss B, et al: Predictors of emesis and recovery agitation with emergency department ketamine sedation: an individual-patient data meta-analysis of 8,282 children. *Ann Emerg Med* 54: 171, 2009. [PMID: 19501426]
78. Langston WT, Wathen J, Roback MG, et al: Effect of ondansetron on the incidence of vomiting associated with ketamine sedation in children: a double-blind, randomized, placebo-controlled trial. *Ann Emerg Med* 52: 30, 2008. [PMID: 18353503]
79. Green SM, Johnson NE: Ketamine sedation for pediatric procedures: part 2, review and implications. *Ann Emerg Med* 19: 1033, 1990. [PMID: 2203290]
80. Sener S, Eken C, Schultz CH, Serinken M, Ozsarac M: Ketamine with and without midazolam for emergency department sedation in adults: a randomized controlled trial. *Ann Emerg Med* 57: 109, 2011. [PMID: 20970888]
81. Bleiberg AH, Salvaggio CA, Roy LC, Kassutto Z: Low-dose ketamine: efficacy in pediatric sedation. *Pediatr Emerg Care* 23: 158, 2007. [PMID: 17413431]
82. Green SM, Roback MG, Kennedy RM, Krauss B: Clinical practice guideline for emergency department ketamine dissociative sedation: 2011 update. *Ann Emerg Med* 57: 449, 2011. [PMID: 21256625]
83. Shah A, Mosdossy G, McLeod S, et al: A blinded, randomized controlled trial to evaluate ketamine/propofol versus ketamine alone for procedural sedation in children. *Ann Emerg Med* 57: 425, 2011. [PMID: 20947210]
84. Erden IA, Pamuk AG, Akinci SB, et al: Comparison of propofol-fentanyl with propofol-fentanyl-ketamine combination in pediatric patients undergoing interventional radiology procedures. *Paediatr Anaesth* 19: 500, 2009. [PMID: 19453582]
85. Green SM, Andolfatto G, Krauss B: Ketofol for procedural sedation? Pro and con. *Ann Emerg Med* 57: 444, 2011. [PMID: 21237532]
86. Green SM, Roback MG, Krauss B, et al: Predictors of airway and respiratory adverse events with ketamine sedation in the emergency department: an individual-patient data meta-analysis of 8,282 children. *Ann Emerg Med* 54: 158, 2009. [PMID: 19201064]
87. Conway A, Rolley J, Sutherland JR: Midazolam for sedation before procedures. *Cochrane Database Syst Rev* 5: CD009491, 2016. [PMID: 27198122]
88. Leroy PL, Schipper DM, Knappe HJ: Professional skills and competence for safe and effective procedural sedation in children: recommendations based on a systematic review of the literature. *Int J Pediatr* 2010: 934298, 2010. [PMID: 20652062]
89. Mace SE, Barata I, Cravero JP, et al: Clinical policy: evidence-based approach to pharmacologic agents used in pediatric sedation and analgesia in the emergency department. *Ann Emerg Med* 44: 342, 2004. [PMID: 15459618]
90. American Academy of Pediatric Dentistry: Guideline on use of nitrous oxide for pediatric dental patients. *Pediatr Dent* 35: E174, 2013. [PMID: 24290547]
91. Jalota L, Kalira V, George E, et al: Prevention of pain on injection of propofol: systematic review and meta-analysis. *BMJ* 342: d1110, 2011. [PMID: 21406529]
92. Miner JE, Burton J: Clinical practice advisory: emergency department procedural sedation with propofol. *Ann Emerg Med* 50: 182, 2007. [PMID: 17321006]
93. Finsterer J, Segall L: Drugs interfering with mitochondrial disorders. *Drug Chem Toxicol* 33: 138, 2010. [PMID: 19839725]
94. Moro-Sutherland DM, Algren J, Louis PT, et al: Comparison of intravenous midazolam with pentobarbital for sedation for head computed tomography imaging. *Acad Emerg Med* 7: 1370, 2008.
95. Chun TH, Amanullah S, Karishma-Bahl D, et al: Comparison of methohexital and pentobarbital as sedative agents for pediatric emergency department patients for computed tomography. *Pediatr Emerg Care* 25: 648, 2009. [PMID: 21465691]
96. Plambach MZ, Afshari A: Dexmedetomidine in the pediatric population: a review. *Minerva Anesthesiol* 81: 320, 2015. [PMID: 24824958]
97. Kim HJ, Shin W, Park S, Ahn HS, Oh JH: The sedative effects of the intranasal administration of dexmedetomidine in children undergoing surgeries compared to other sedation methods: a systematic review and meta-analysis. *J Clin Anesth* 38: 33, 2017. [PMID: 28372674]
98. Yuen VMHT, Irwin MG, Yao TJ, Wong GL, Yuen MK: Optimal timing for the administration of intranasal dexmedetomidine for premedication in children. *Anaesthesia* 65: 922, 2010. [PMID: 20645951]
99. Talon MD, Woodson L, Sherwood ER, Aarsland A, McRae L, Benham T: Intranasal dexmedetomidine premedication is comparable with midazolam in burn children undergoing reconstructive surgery. *J Burn Care Res* 30: 599, 2009. [PMID: 19506498]