

REFERENCES

- Benjamin EJ, Blaha MJ, Chiuve SE, et al: Heart disease and stroke statistics-2017 update: a report from the American Heart Association. *Circulation* 135: e146, 2017. [PMID: 28122885]
- Ramirez-Moreno JM, Alonso-Gonzalez R, Peral-Pacheco D, Millan-Nunez MV, Aguirre-Sanchez JJ: Stroke awareness is worse among the old and poorly educated: a population-based survey. *J Stroke Cerebrovasc Dis* 24: 1038, 2015. [PMID: 25817626]
- Ojike N, Ravenell J, Seixas A, et al: Racial disparity in stroke awareness in the US: an analysis of the 2014 National Health Interview Survey. *J Neurol Neurophysiol* 7: 2, 2016. [PMID: 27478680]
- Mellon L, Doyle F, Rohde D, Williams D, Hickey A: Stroke warning campaigns: delivering better patient outcomes? A systematic review. *Patient Relat Outcome Meas* 6: 61, 2015. [PMID: 25750550]
- Advani R, Naess H, Kurz M: Mass media intervention in western Norway aimed at improving public recognition of stroke, emergency response, and acute treatment. *J Stroke Cerebrovasc Dis* 25: 1467, 2016. [PMID: 27019989]
- Mellon L, Hickey A, Doyle F, Dolan E, Williams D: Can a media campaign change health service use in a population with stroke symptoms? Examination of the first Irish stroke awareness campaign. *Emerg Med J* 31: 536, 2014. [PMID: 23892414]
- You JS, Chung SP, Chung HS, et al: Predictive value of the Cincinnati Prehospital Stroke Scale for identifying thrombolytic candidates in acute ischemic stroke. *Am J Emerg Med* 31: 1699, 2013. [PMID: 24055479]
- Kidwell CS, Starkman S, Eckstein M, Weems K, Saver JL: Identifying stroke in the field. Prospective validation of the Los Angeles prehospital stroke screen (LAPSS). *Stroke* 31: 71, 2000. [PMID: 10625718]
- Bray JE, Coughlan K, Barger B, Bladin C: Paramedic diagnosis of stroke: examining long-term use of the Melbourne Ambulance Stroke Screen (MASS) in the field. *Stroke* 41: 1363, 2010. [PMID: 20538702]
- Vidale S, Agostoni E: Prehospital stroke scales and large vessel occlusion: a systematic review. *Acta Neurol Scand* 138: 24, 2018. [PMID: 29430622]
- Panichpasil K, Nugent K, Singh M, et al: Pomona large vessel occlusion screening tool for prehospital and emergency room settings. *Intervent Neurol* 7: 196, 2018. [PMID: 29719558]
- Noorian AR, Sanossian N, Shkirkova K, et al: Los Angeles motor scale to identify large vessel occlusion: prehospital validation and comparison with other screens. *Stroke* 49: 565, 2018. [PMID: 29459391]
- Purrucker JC, Hartig F, Richter H, et al: Design and validation of a clinical scale for prehospital stroke recognition, severity grading and prediction of large vessel occlusion: the shortened NIH Stroke Scale for emergency medical services. *BMJ Open* 7: e016893, 2017. [PMID: 28864702]
- Lima FO, Silva GS, Furie KL, et al: Field assessment stroke triage for emergency destination: a simple and accurate prehospital scale to detect large vessel occlusion strokes. *Stroke* 47: 1997, 2016. [PMID: 27364531]
- Hastrup S, Damgaard D, Johnsen SP, Andersen G: Prehospital acute stroke severity scale to predict large artery occlusion: design and comparison with other scales. *Stroke* 47: 1772, 2016. [PMID: 27272487]
- Perez de la Ossa N, Carrera D, Gorchs M, et al: Design and validation of a prehospital stroke scale to predict large arterial occlusion: the rapid arterial occlusion evaluation scale. *Stroke* 45: 87, 2014. [PMID: 24281224]
- Keenan KJ, Kircher C, McMullan JT: Prehospital prediction of large vessel occlusion in suspected stroke patients. *Curr Atheroscler Rep* 20: 34, 2018. [PMID: 29781051]
- Smith EE, Kent DM, Bulsara KR, et al: Accuracy of prediction instruments for diagnosing large vessel occlusion in individuals with suspected stroke: a systematic review for the 2018 guidelines for the early management of patients with acute ischemic stroke. *Stroke* 49: e111, 2018. [PMID: 29367333]
- Powers WJ, Rabinstein AA, Ackerson T, et al: 2018 guidelines for the early management of patients with acute ischemic stroke: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke* 49: e46, 2018. [PMID: 29367334]
- Saver JL, Fonarow GC, Smith EE, et al: Time to treatment with intravenous tissue plasminogen activator and outcome from acute ischemic stroke. *JAMA* 309: 2480, 2013. [PMID: 23780461]
- Saver JL, Goyal M, van der Lugt A, et al: Time to treatment with endovascular thrombectomy and outcomes from ischemic stroke: a meta-analysis. *JAMA* 316: 1279, 2016. [PMID: 27673305]
- Correction to: 2018 guidelines for the early management of patients with acute ischemic stroke: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke* 49: e233, 2018. [PMID: 29669864]
- Goldstein LB, Simel DL: Is this patient having a stroke? *JAMA* 293: 2391, 2005. [PMID: 15900010]
- Bushnell C, McCullough LD, Awad IA, et al: Guidelines for the prevention of stroke in women: a statement for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke* 45: 1545, 2014. [PMID: 24503673]
- Jerath NU, Reddy C, Freeman WD, Jerath AU, Brown RD: Gender differences in presenting signs and symptoms of acute ischemic stroke: a population-based study. *Genet Med* 8: 312, 2011. [PMID: 21925968]
- Berglund A, Schenck-Gustafsson K, von Euler M: Sex differences in the presentation of stroke. *Maturitas* 99: 47, 2017. [PMID: 28364868]
- Beal CC: Gender and stroke symptoms: a review of the current literature. *J Neurosci Nurs* 42: 80, 2010. [PMID: 20422793]
- Yew KS, Cheng EM: Diagnosis of acute stroke. *Am Fam Physician* 91: 528, 2015. [PMID: 25884860]
- Gibson LM, Whiteley W: The differential diagnosis of suspected stroke: a systematic review. *J R Coll Physicians Edinb* 43: 114, 2013. [PMID: 23734351]
- Long B, Koefman A: Clinical mimics: an emergency medicine-focused review of stroke mimics. *J Emerg Med* 52: 176, 2017. [PMID: 27780653]
- Hacke W, Kaste M, Bluhmki E, et al: Thrombolysis with alteplase 3 to 4.5 hours after acute ischemic stroke. *N Engl J Med* 359: 1317, 2008. [PMID: 18815396]
- Brott T, Adams HP Jr, Olinger CP, et al: Measurements of acute cerebral infarction: a clinical examination scale. *Stroke* 20: 864, 1989. [PMID: 2749846]
- Dewey HM, Donnan GA, Freeman EJ, et al: Interrater reliability of the National Institutes of Health Stroke Scale: rating by neurologists and nurses in a community-based stroke incidence study. *Cerebrovasc Dis* 9: 323, 1999. [PMID: 10545689]
- Goldstein LB, Samsa GP: Reliability of the National Institutes of Health Stroke Scale. Extension to non-neurologists in the context of a clinical trial. *Stroke* 28: 307, 1997. [PMID: 9040680]
- Rost NS, Bottle A, Lee JM, et al: Stroke severity is a crucial predictor of outcome: an international prospective validation study. *J Am Heart Assoc* 5: 1, 2016. [PMID: 26796252]
- Wouters A, Nysten C, Thijs V, Lemmens R: Prediction of outcome in patients with acute ischemic stroke based on initial severity and improvement in the first 24 h. *Front Neurol* 9: 308, 2018. [PMID: 29867722]
- <https://reference.medscape.com/calculator/nih-stroke-score>. (Medscape: NIH Stroke Scale. 1999). Accessed July 2, 2018.
- <https://itunes.apple.com/us/app/mdcalc-medical-calculator/id1001640662>. (MDCalc Medical Calculator. 2017.) Accessed July 2, 2018.
- <https://play.google.com/store/apps/details?id=com.myprograms.nihss&hl=en>. (Chernyshkov E. National Institutes of Health Stroke Scale. 2014.) Accessed July 2, 2018.
- Martin-Schild S, Albright KC, Tanksley J, et al: Zero on the NIHSS does not equal the absence of stroke. *Ann Emerg Med* 57: 42, 2011. [PMID: 20828876]
- Sato S, Toyoda K, Uehara T, et al: Baseline NIH Stroke Scale score predicting outcome in anterior and posterior circulation strokes. *Neurology* 70: 2371, 2008. [PMID: 18434640]
- Woo D, Broderick JP, Kothari RU, et al: Does the National Institutes of Health Stroke Scale favor left hemisphere strokes? NINDS t-PA Stroke Study Group. *Stroke* 30: 2355, 1999. [PMID: 10548670]
- Meyer BC, Hemmen TM, Jackson CM, Lyden PD: Modified National Institutes of Health Stroke Scale for use in stroke clinical trials: prospective reliability and validity. *Stroke* 33: 1261, 2002. [PMID: 11988601]
- Lyden P: Using the National Institutes of Health Stroke Scale: a cautionary tale. *Stroke* 48: 513, 2017. [PMID: 28077454]
- Toyoda K: Anterior cerebral artery and Heubner's artery territory infarction. *Front Neurol Neurosci* 30: 120, 2012. [PMID: 22377877]
- Kumral E, Bayulkem G, Evyapan D, Yuntun N: Spectrum of anterior cerebral artery territory infarction: clinical and MRI findings. *Eur J Neurol* 9: 615, 2002. [PMID: 12453077]
- Go S: Posterior circulation ischemic stroke. *Mo Med* 112: 192, 2015. [PMID: 26168589]
- Searls DE, Pazdera L, Korbel E, Vysata O, Caplan LR: Symptoms and signs of posterior circulation ischemia in the New England medical center posterior circulation registry. *Arch Neurol* 69(3): 346, 2012. [PMID: 22083796]
- Singer OC, Berkefeld J, Nolte CH, et al: Mechanical recanalization in basilar artery occlusion: the ENDOSTROKE study. *Ann Neurol* 77: 415, 2015. [PMID: 25516154]
- Glass TA, Hennessey PM, Pazdera L, et al: Outcome at 30 days in the New England Medical Center Posterior Circulation Registry. *Arch Neurol* 59: 369, 2002. [PMID: 11890839]
- Datar S, Rabinstein AA: Cerebellar infarction. *Neurol Clin* 32: 979, 2014. [PMID: 25439292]
- Koh MG, Phan TG, Atkinson JL, Wijdicks EF: Neuroimaging in deteriorating patients with cerebellar infarcts and mass effect. *Stroke* 31: 2062, 2000. [PMID: 10978030]
- Blum CA, Yaghi S: Cervical artery dissection: a review of the epidemiology, pathophysiology, treatment, and outcome. *Arch Neurosci* 2: 4, 2015. [PMID: 26478890]
- Debette S: Pathophysiology and risk factors of cervical artery dissection: what have we learnt from large hospital-based cohorts? *Curr Opin Neurol* 27: 20, 2014. [PMID: 24300790]
- Ernst E: Adverse effects of spinal manipulation: a systematic review. *J R Soc Med* 100: 330, 2007. [PMID: 17606755]
- Swait G, Finch R: What are the risks of manual treatment of the spine? A scoping review for clinicians. *Chiropract Man Ther* 25: 37, 2017. [PMID: 29234493]
- Billir J, Sacco RL, Albuquerque FC, et al: Cervical arterial dissections and association with cervical manipulative therapy: a statement for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke* 45: 3155, 2014. [PMID: 25104849]
- Engelter ST, Grond-Ginsbach C, Metso TM, et al: Cervical artery dissection: trauma and other potential mechanical trigger events. *Neurology* 80: 1950, 2013. [PMID: 23635964]
- Pezzini A, Caso V, Zanferrari C, et al: Arterial hypertension as risk factor for spontaneous cervical artery dissection. A case-control study. *J Neurol Neurosurg Psychiatry* 77: 95, 2006. [PMID: 16361604]

60. Southerland AM, Meschia JF, Worrall BB: Shared associations of nonatherosclerotic, large-vessel, cerebrovascular arteriopathies: considering intracranial aneurysms, cervical artery dissection, moyamoya disease and fibromuscular dysplasia. *Curr Opin Neurol* 26: 13, 2013. [PMID: 23302803]
61. De Giuli V, Grassi M, Lodigiani C, et al: Association between migraine and cervical artery dissection: the Italian Project on Stroke in Young Adults. *JAMA Neurol* 74: 512, 2017. [PMID: 28264095]
62. Henkin S, Negrotto SM, Tweet MS, et al: Spontaneous coronary artery dissection and its association with heritable connective tissue disorders. *Heart* 102: 876, 2016. [PMID: 26864667]
63. Debette S, Grond-Ginsbach C, Bodenat M, et al: Differential features of carotid and vertebral artery dissections: the CADISP study. *Neurology* 77: 1174, 2011. [PMID: 21900632]
64. Silbert PL, Mokri B, Schievink WI: Headache and neck pain in spontaneous internal carotid and vertebral artery dissections. *Neurology* 45: 1517, 1995. [PMID: 7644051]
65. Arnold M, Cumurciuc R, Stapf C, Favrole P, Berthet K, Bousser MG: Pain as the only symptom of cervical artery dissection. *J Neurol Neurosurg Psychiatry* 77: 1021, 2006. [PMID: 16820416]
66. Lee VH, Brown RD Jr, Mandrekar JN, Mokri B: Incidence and outcome of cervical artery dissection: a population-based study. *Neurology* 67: 1809, 2006. [PMID: 17130413]
67. Mokri B, Silbert PL, Schievink WI, Piegras DG: Cranial nerve palsy in spontaneous dissection of the extracranial internal carotid artery. *Neurology* 46: 356, 1996. [PMID: 8614494]
68. Gottesman RF, Sharma P, Robinson KA, et al: Clinical characteristics of symptomatic vertebral artery dissection: a systematic review. *Neurologist* 18: 245, 2012. [PMID: 22931728]
69. Schievink WI: Spontaneous dissection of the carotid and vertebral arteries. *N Engl J Med* 344: 898, 2001. [PMID: 11259724]
70. McGillion SF, Weston-Simons S, Harvey JR: Vertebral artery dissection presenting with multilevel combined sensorimotor radiculopathy: a case report and literature review. *J Spinal Disord Tech* 22: 456, 2009. [PMID: 19652575]
71. Provenzale JM, Sarikaya B: Comparison of test performance characteristics of MRI, MR angiography, and CT angiography in the diagnosis of carotid and vertebral artery dissection: a review of the medical literature. *AJR Am J Roentgenol* 193: 1167, 2009. [PMID: 19770343]
72. Ditttrich R, Dziewas R, Ritter MA, et al: Negative ultrasound findings in patients with cervical artery dissection. Negative ultrasound in CAD. *J Neurol* 253: 424, 2006. [PMID: 16307203]
73. Nebelsieck J, Sengelhoff C, Nassenstein I, et al: Sensitivity of neurovascular ultrasound for the detection of spontaneous cervical artery dissection. *J Clin Neurosci* 16: 79, 2009. [PMID: 19017557]
74. Morel A, Naggara O, Touze E, et al: Mechanism of ischemic infarct in spontaneous cervical artery dissection. *Stroke* 43: 1354, 2012. [PMID: 22403053]
75. Lin J, Sun Y, Zhao S, Xu J, Zhao C: Safety and efficacy of thrombolysis in cervical artery dissection-related ischemic stroke: a meta-analysis of observational studies. *Cerebrovasc Dis* 42: 272, 2016. [PMID: 27199235]
76. Hoving JW, Marquering HA, Majocic C: Endovascular treatment in patients with carotid artery dissection and intracranial occlusion: a systematic review. *Neuroradiology* 59: 641, 2017. [PMID: 28580530]
77. Lyrer P, Engelter S: Antithrombotic drugs for carotid artery dissection. *Cochrane Database Syst Rev* 10: CD000255, 2010. [PMID: 20927720]
78. Kennedy F, Lanfranconi S, Hicks C, et al: Antiplatelets vs anticoagulation for dissection: CADISS nonrandomized arm and meta-analysis. *Neurology* 79: 686, 2012. [PMID: 22855862]
79. Chowdhury MM, Sabbagh CN, Jackson D, Coughlin PA, Ghosh J: Antithrombotic treatment for acute extracranial carotid artery dissections: a meta-analysis. *Eur J Vasc Endovasc Surg* 50: 148, 2015. [PMID: 26109428]
80. CADISS Trial Investigators, Markus HS, Hayter E, et al: Antiplatelet treatment compared with anticoagulation treatment for cervical artery dissection (CADISS): a randomised trial. *Lancet Neurol* 14: 361, 2015. [PMID: 25684164]
81. Bae HJ, Debette S: Commentary on the Cervical Artery Dissection in Stroke Study Trial. *Stroke* 47: 1413, 2016. [PMID: 27048699]
82. Gonzalez-Perez A, Gaist D, Wallander MA, McFeat G, Garcia-Rodriguez LA: Mortality after hemorrhagic stroke: data from general practice (The Health Improvement Network). *Neurology* 81: 559, 2013. [PMID: 23843467]
83. Hansen BM, Nilsson OG, Anderson H, Norrvig B, Saveland H, Lindgren A: Long term (13 years) prognosis after primary intracerebral haemorrhage: a prospective population based study of long term mortality, prognostic factors and causes of death. *J Neurol Neurosurg Psychiatry* 84: 1150, 2013. [PMID: 23715913]
84. Gumbinger C, Reuter B, Stock C, et al: Time to treatment with recombinant tissue plasminogen activator and outcome of stroke in clinical practice: retrospective analysis of hospital quality assurance data with comparison with results from randomised clinical trials. *BMJ* 348: g3429, 2014. [PMID: 24879819]
85. Xian Y, Xu H, Lytle B, et al: Use of strategies to improve door-to-needle times with tissue-type plasminogen activator in acute ischemic stroke in clinical practice: findings from target: stroke. *Circ Cardiovasc Qual Outcomes* 10: e003227, 2017. [PMID: 28096207]
86. Roffe C, Nevatte T, Sim J, et al: Effect of routine low-dose oxygen supplementation on death and disability in adults with acute stroke: the Stroke Oxygen Study randomized clinical trial. *JAMA* 318: 1125, 2017. [PMID: 28973619]
87. Wu F, Cao W, Ling Y, Yang L, Cheng X, Dong Q: The predictive role of electrocardiographic abnormalities in ischemic stroke patients with intravenous thrombolysis. *Int J Cardiol Heart Vessel* 4: 81, 2014. [PMID: 29450185]
88. Christensen H, Fogh Christensen A, Boysen G: Abnormalities on ECG and telemetry predict stroke outcome at 3 months. *J Neurol Sci* 234: 99, 2005. [PMID: 15935384]
89. Yaghi S, Pilot M, Song C, et al: Ischemic stroke risk after acute coronary syndrome. *J Am Heart Assoc* 5: 7, 2016. [PMID: 27413043]
90. Agarwal SK, Soliman EZ: ECG abnormalities and stroke incidence. *Exp Rev Cardiovasc Ther* 11: 853, 2013. [PMID: 23895029]
91. Faiz KW, Thommessen B, Einvik G, Brekke PH, Omland T, Ronning OM: Determinants of high sensitivity cardiac troponin T elevation in acute ischemic stroke. *BMC Neurol* 14: 96, 2014. [PMID: 24885286]
92. Liao J, O'Donnell MJ, Silver FL, et al: In-hospital myocardial infarction following acute ischaemic stroke: an observational study. *Eur J Neurol* 16: 1035, 2009. [PMID: 19614964]
93. Gunnoo T, Hasan N, Khan MS, Slark J, Bentley P, Sharma P: Quantifying the risk of heart disease following acute ischaemic stroke: a meta-analysis of over 50,000 participants. *BMJ Open* 6: e009535, 2016. [PMID: 26792217]
94. Tomich C, Liecey JS, Sagnier S, et al: Contribution of routine cardiac biological markers to the etiological workup of ischemic stroke. *Am J Emerg Med* pii: S0735-6757(18)30373-5, 2018. [PMID: 29804788]
95. Wojner-Alexander AW, Garami Z, Chernyshev OY, Alexandrov AV: Heads down: flat positioning improves blood flow velocity in acute ischemic stroke. *Neurology* 64: 1354, 2005. [PMID: 15851722]
96. Anderson CS, Arima H, Lavados P, et al: Cluster-randomized, crossover trial of head positioning in acute stroke. *N Engl J Med* 376: 2437, 2017. [PMID: 28636854]
97. Alexandrov AW, Tsivgoulis G, Hill MD, et al: HeadPoST: RIGHTLY positioned, or flat out wrong? *Neurology* 90: 885, 2018. [PMID: 29643083]
98. Saber H, Silver B, Santillan A, Azarpazhooh MR, Misra V, Behrouz R: Role of emergent chest radiography in evaluation of hyperacute stroke. *Neurology* 87: 782, 2016. [PMID: 27412145]
99. Zerna C, von Kummer R, Gerber J, et al: Telemedical brain computed tomography misinterpretation by stroke neurologists is not associated with thrombolysis-related intracranial hemorrhage. *J Stroke Cerebrovasc Dis* 24: 1520, 2015. [PMID: 25873473]
100. Puetz V, Bodechtel U, Gerber JC, et al: Reliability of brain CT evaluation by stroke neurologists in telemedicine. *Neurology* 80: 332, 2013. [PMID: 23255831]
101. Mohr NM, Young T, Harland KK, et al: Telemedicine is associated with faster diagnostic imaging in stroke patients: a cohort study. *Telemed J E Health* 2018. doi: 10.1089/tmj.2018.0013 [Epub ahead of print]. [PMID: 29958087]
102. Brazzelli M, Sandercock PA, Chappell FM, et al: Magnetic resonance imaging versus computed tomography for detection of acute vascular lesions in patients presenting with stroke symptoms. *Cochrane Database Syst Rev* 4: CD007424, 2009. [PMID: 19821415]
103. Chalela JA, Kidwell CS, Nentwich LM, et al: Magnetic resonance imaging and computed tomography in emergency assessment of patients with suspected acute stroke: a prospective comparison. *Lancet* 369: 293, 2007. [PMID: 17258669]
104. Thomalla G, Simonsen CZ, Boutitie F, et al: MRI-guided thrombolysis for stroke with unknown time of onset. *N Engl J Med* 379: 611, 2018. [PMID: 29766770]
105. Lima FO, Lev MH, Levy RA, et al: Functional contrast-enhanced CT for evaluation of acute ischemic stroke does not increase the risk of contrast-induced nephropathy. *AJNR Am J Neuroradiol* 31: 817, 2010. [PMID: 20044502]
106. Krol AL, Dzialowski I, Roy J, et al: Incidence of radiocontrast nephropathy in patients undergoing acute stroke computed tomography angiography. *Stroke* 38: 2364, 2007. [PMID: 17600231]
107. Brinjikji W, Demchuk AM, Murad MH, et al: Neurons over nephrons: systematic review and meta-analysis of contrast-induced nephropathy in patients with acute stroke. *Stroke* 48: 1862, 2017. [PMID: 28583996]
108. Kim BJ, Kim HJ, Lee DH, et al: Diffusion-weighted image and fluid-attenuated inversion recovery image mismatch: unclear-onset versus clear-onset stroke. *Stroke* 45: 450, 2014. [PMID: 24347423]
109. Nogueira RG, Jadhav AP, Haussen DC, et al: Thrombectomy 6 to 24 hours after stroke with a mismatch between deficit and infarct. *N Engl J Med* 378: 11, 2018. [PMID: 29129157]
110. Albers GW, Marks MP, Kemp S, et al: Thrombectomy for stroke at 6 to 16 hours with selection by perfusion imaging. *N Engl J Med* 378: 708, 2018. [PMID: 29364767]
111. Caruso P, Naccarato M, Furlanis G, et al: Wake-up stroke and CT perfusion: effectiveness and safety of reperfusion therapy. *Neurol Sci* 2018. doi: 10.1007/s10072-018-3486-z [Epub ahead of print]. [PMID: 29987433]
112. Morelli N, Rota E, Immovilli P, et al: Computed tomography perfusion-based thrombolysis in wake-up stroke. *Intern Emerg Med* 10: 977, 2015. [PMID: 26370239]
113. Ryu WHA, Avery MB, Dharampal N, Allen IE, Hettis SW: Utility of perfusion imaging in acute stroke treatment: a systematic review and meta-analysis. *J Neurointerv Surg* 9: 1012, 2017. [PMID: 28899932]
114. Liu CH, Lin SC, Lin JR, et al: Dehydration is an independent predictor of discharge outcome and admission cost in acute ischaemic stroke. *Eur J Neurol* 21: 1184, 2014. [PMID: 24780071]
115. Li SS, Yin MM, Zhou ZH, Chen HS: Dehydration is a strong predictor of long-term prognosis of thrombolysed patients with acute ischemic stroke. *Brain Behav* 7: e00849, 2017. [PMID: 29201550]
116. Chang TS, Jensen MB: Haemodilution for acute ischaemic stroke. *Cochrane Database Syst Rev* 8: CD000103, 2014. [PMID: 25159027]
117. Bennett MH, Weibel S, Wasiaik J, Schnabel A, French C, Kranke P: Hyperbaric oxygen therapy for acute ischaemic stroke. *Cochrane Database Syst Rev* 11: CD004954, 2014. [PMID: 25387992]
118. Thompson HJ: Evidence-base for Fever interventions following stroke. *Stroke* 46: e98, 2015. [PMID: 25873595]

119. Prasad K, Krishnan PR: Fever is associated with doubling of odds of short-term mortality in ischemic stroke: an updated meta-analysis. *Acta Neurol Scand* 122: 404, 2010. [PMID: 20199523]
120. de Ridder IR, den Hertog HM, van Gemert HM, et al: PAIS 2 (Paracetamol [Acetaminophen] in Stroke 2): results of a randomized, double-blind placebo-controlled clinical trial. *Stroke* 48: 977, 2017. [PMID: 28289240]
121. Fang J, Chen C, Cheng H, Wang R, Ma L: Effect of paracetamol (acetaminophen) on body temperature in acute stroke: a meta-analysis. *Am J Emerg Med* 35: 1530, 2017. [PMID: 28366286]
122. Dippel DW, van Breda EJ, van der Worp HB, et al: Effect of paracetamol (acetaminophen) and ibuprofen on body temperature in acute ischemic stroke PISA, a phase II double-blind, randomized, placebo-controlled trial [ISRCTN98608690]. *BMC Cardiovasc Disord* 3: 2, 2003. [PMID: 12657165]
123. Rockett H, Thompson HJ, Blissitt PA: Fever management practices of neuroscience nurses: what has changed? *J Neurosci Nurs* 47: 66, 2015. [PMID: 25634653]
124. Kallmunzer B, Kollmar R: Temperature management in stroke: an unsolved, but important topic. *Cerebrovasc Dis* 31: 532, 2011. [PMID: 21487217]
125. Gilligan AK, Thrift AG, Sturm JW, Dewey HM, Macdonell RA, Donnan GA: Stroke units, tissue plasminogen activator, aspirin and neuroprotection: which stroke intervention could provide the greatest community benefit? *Cerebrovasc Dis* 20: 239, 2005. [PMID: 16123543]
126. Indredavik B, Bakke F, Slordahl SA, Rokseth R, Haheim LL: Stroke unit treatment. 10-year follow-up. *Stroke* 30: 1524, 1999. [PMID: 10436094]
127. Indredavik B, Slordahl SA, Bakke F, Rokseth R, Haheim LL: Stroke unit treatment. Long-term effects. *Stroke* 28: 1861, 1997. [PMID: 9341685]
128. Visvanathan A, Dennis M, Whiteley W: Parenteral fluid regimens for improving functional outcome in people with acute stroke. *Cochrane Database Syst Rev* 9: CD011138, 2015. [PMID: 26329401]
129. Levy DE, Brott TG, Haley EC Jr, et al: Factors related to intracranial hematoma formation in patients receiving tissue-type plasminogen activator for acute ischemic stroke. *Stroke* 25: 291, 1994. [PMID: 8303734]
130. Butcher K, Christensen S, Parsons M, et al: Postthrombolysis blood pressure elevation is associated with hemorrhagic transformation. *Stroke* 41: 72, 2010. [PMID: 19926841]
131. Dirks M, Zonneveld TP, Dippel DW, et al: Elevated pretreatment blood pressure and IV thrombolysis in stroke. *Neurology* 84: 1419, 2015. [PMID: 25746562]
132. Zonneveld TP, Algra A, Dippel DW, et al: The Thrombolysis in Uncontrolled Hypertension (TRUTH) protocol: an observational study on treatment strategy of elevated blood pressure in stroke patients eligible for IVT. *BMC Neurol* 15: 241, 2015. [PMID: 26596237]
133. Maier B, Gory B, Taylor G, et al: Mortality and disability according to baseline blood pressure in acute ischemic stroke patients treated by thrombectomy: a collaborative pooled analysis. *J Am Heart Assoc* 6: 10, 2017. [PMID: 29018023]
134. Scott JE, Robinson GM, French JM, O'Connell JE, Alberti KG, Gray CS: Prevalence of admission hyperglycaemia across clinical subtypes of acute stroke. *Lancet* 353: 376, 1999. [PMID: 9950447]
135. Miedema I, Luijckx GJ, Brouns R, De Keyser J, Uyttenboogaart M: Admission hyperglycemia and outcome after intravenous thrombolysis: is there a difference among the stroke-subtypes? *BMC Neurol* 16: 104, 2016. [PMID: 27422152]
136. Mi D, Wang P, Yang B, Pu Y, Yang Z, Liu L: Correlation of hyperglycemia with mortality after acute ischemic stroke. *Ther Adv Neurol Disord* 11: 1756285617731686, 2018. [PMID: 29399044]
137. Saqqur M, Shuaib A, Alexandrov AV, Sebastian J, Khan K, Uchino K: The correlation between admission blood glucose and intravenous rt-PA-induced arterial recanalization in acute ischemic stroke: a multi-centre TCD study. *Int J Stroke* 10: 1087, 2015. [PMID: 26332252]
138. Xue WY, Xu YC, Wu YW, Yang M: Observation of elevated fasting blood glucose and functional outcome after ischemic stroke in patients with and without diabetes. *Oncotarget* 8: 67980, 2017. [PMID: 28978089]
139. Reshi R, Streib C, Ezzeddine M, et al: Hyperglycemia in acute ischemic stroke: is it time to re-evaluate our understanding? *Med Hypoth* 107: 78, 2017. [PMID: 28915969]
140. Bellolio MF, Gilmore RM, Ganti L: Insulin for glycaemic control in acute ischaemic stroke. *Cochrane Database Syst Rev* 1: CD005346, 2014. [PMID: 24453023]
141. International Stroke Trial Collaborative Group: The International Stroke Trial (IST): a randomised trial of aspirin, subcutaneous heparin, both, or neither among 19435 patients with acute ischaemic stroke. *Lancet* 349: 1569, 1997. [PMID: 9174558]
142. CAST (Chinese Acute Stroke Trial) Collaborative Group: CAST: randomised placebo-controlled trial of early aspirin use in 20,000 patients with acute ischaemic stroke. *Lancet* 349: 1641, 1997. [PMID: 9186381]
143. Chen ZM, Sandercock P, Pan HC, et al: Indications for early aspirin use in acute ischemic stroke: a combined analysis of 40,000 randomized patients from the Chinese acute stroke trial and the international stroke trial. On behalf of the CAST and IST collaborative groups. *Stroke* 31: 1240, 2000. [PMID: 10835439]
144. Wang Y, Zhao X, Liu L, et al: Clopidogrel with aspirin in acute minor stroke or transient ischemic attack. *N Engl J Med* 369: 11, 2013. [PMID: 23803136]
145. Wang Y, Pan Y, Zhao X, et al: Clopidogrel With Aspirin in Acute Minor Stroke or Transient Ischemic Attack (CHANCE) trial: one-year outcomes. *Circulation* 132: 40, 2015. [PMID: 25957224]
146. Wang X, Zhao X, Johnston SC, et al: Effect of clopidogrel with aspirin on functional outcome in TIA or minor stroke: CHANCE substudy. *Neurology* 85: 573, 2015. [PMID: 26283758]
147. The National Institute of Neurological Disorders and Stroke rt-PA Stroke Study Group: Tissue plasminogen activator for acute ischemic stroke. *N Engl J Med* 333: 1581, 1995. [PMID: 7477192]
148. Hoffman JR: Tissue plasminogen activator (tPA) for acute ischaemic stroke: why so much has been made of so little. *Med J Aust* 179: 333, 2003. [PMID: 14503891]
149. Shinton R: Questions about authorisation of alteplase for ischaemic stroke. *Lancet* 384: 659, 2014. [PMID: 25152265]
150. Ingall TJ, O'Fallon WM, Asplund K, et al: Findings from the reanalysis of the NINDS tissue plasminogen activator for acute ischemic stroke treatment trial. *Stroke* 35: 2418, 2004. [PMID: 15345796]
151. Hoffman JR, Schriger DL: A graphic reanalysis of the NINDS trial. *Ann Emerg Med* 54: 329, 2009. [PMID: 19464756]
152. Saver JL, Gornbein J, Starkman S: Graphic reanalysis of the two NINDS-tPA trials confirms substantial treatment benefit. *Stroke* 41: 2381, 2010. [PMID: 20829518]
153. Fatovich DM: Believing is seeing: stroke thrombolysis remains unproven after the third International Stroke Trial (IST-3). *Emerg Med Australas* 24: 477, 2012. [PMID: 23039287]
154. Fatovich DM: Truth, thinking and thrombolysis. *Emerg Med Australas* 28: 490, 2016. [PMID: 27651206]
155. Del Zoppo GJ, Saver JL, Jauch EC, Adams HP Jr: Expansion of the time window for treatment of acute ischemic stroke with intravenous tissue plasminogen activator: a science advisory from the American Heart Association/American Stroke Association. *Stroke* 40: 2945, 2009. [PMID: 19478221]
156. Jauch EC, Saver JL, Adams HP Jr, et al: Guidelines for the early management of patients with acute ischemic stroke: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke* 44: 870, 2013. [PMID: 23370205]
157. Demaerschalk BM, Kleindorfer DO, Adeoye OM, et al: Scientific rationale for the inclusion and exclusion criteria for intravenous alteplase in acute ischemic stroke: a statement for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke* 47: 581, 2016. [PMID: 26696642]
158. Sandercock P, Wardlaw JM, Lindley RI, et al: The benefits and harms of intravenous thrombolysis with recombinant tissue plasminogen activator within 6 h of acute ischaemic stroke (the third international stroke trial [IST-3]): a randomised controlled trial. *Lancet* 379: 2352, 2012. [PMID: 22632908]
159. Sandercock P, Lindley R, Wardlaw J, et al: Third international stroke trial (IST-3) of thrombolysis for acute ischaemic stroke. *Trials* 9: 37, 2008. [PMID: 18559104]
160. IST-3 Collaborative Group: Effect of thrombolysis with alteplase within 6 h of acute ischaemic stroke on long-term outcomes (the third International Stroke Trial [IST-3]): 18-month follow-up of a randomised controlled trial. *Lancet Neurol* 12: 768, 2013. [PMID: 23791822]
161. Wardlaw JM, Murray V, Berge E, del Zoppo GJ: Thrombolysis for acute ischaemic stroke. *Cochrane Database Syst Rev* 7: CD000213, 2014. [PMID: 25072528]
162. Donaldson L, Fitzgerald E, Flower O, Delaney A: Review article: why is there still a debate regarding the safety and efficacy of intravenous thrombolysis in the management of presumed acute ischaemic stroke? A systematic review and meta-analysis. *Emerg Med Australas* 28: 496, 2016. [PMID: 27561375]
163. American College of Emergency Physicians Clinical Policies Subcommittee (Writing Committee) on Use of Intravenous tPA for Ischemic Stroke, Brown MD, Burton JH, Nazarian DJ, Promes SB: Clinical policy: use of intravenous tissue plasminogen activator for the management of acute ischemic stroke in the emergency department. *Ann Emerg Med* 66: 322, 2015. [PMID: 26304253]
164. Emberson J, Lees KR, Lyden P, et al: Effect of treatment delay, age, and stroke severity on the effects of intravenous thrombolysis with alteplase for acute ischaemic stroke: a meta-analysis of individual patient data from randomised trials. *Lancet* 384: 1929, 2014. [PMID: 25106063]
165. Harris D, Hall C, Lobay K, et al: Canadian Association of Emergency Physicians position statement on acute ischemic stroke. *CJEM* 17: 217, 2015. [PMID: 26120643]
166. Alper BS, Malone-Moses M, McLellan JS, Prasad K, Manheimer E: Thrombolysis in acute ischaemic stroke: time for a rethink? *BMJ* 350: h1075, 2015. [PMID: 25786912]
167. <https://www.gov.uk/government/publications/alteplase-for-treatment-of-acute-ischaemic-stroke-independent-review> (Medicines and Healthcare products Regulatory Agency: Alteplase for treatment of acute ischaemic stroke: independent review. 2015.) Accessed July 23, 2018.
168. Moradiya Y, Janjua N: Presentation and outcomes of "wake-up strokes" in a large randomized stroke trial: analysis of data from the International Stroke Trial. *J Stroke Cerebrovasc Dis* 22: e286, 2013. [PMID: 22939198]
169. Urrutia VC, Faigle R, Zeiler SR, et al: Safety of intravenous alteplase within 4.5 hours for patients awakening with stroke symptoms. *PLoS One* 13: e0197714, 2018. [PMID: 29787575]
170. Logallo N, Kvistad CE, Naess H, Waje-Andreassen U, Thomassen L: Mild stroke: safety and outcome in patients receiving thrombolysis. *Acta Neurol Scand Suppl* 198: 37, 2014. [PMID: 24588505]
171. Greisenegger S, Seyfang L, Kiechl S, et al: Thrombolysis in patients with mild stroke: results from the Austrian Stroke Unit Registry. *Stroke* 45: 765, 2014. [PMID: 24481972]
172. Khatri P, Kleindorfer DO, Devlin T, et al: Effect of alteplase vs aspirin on functional outcome for patients with acute ischemic stroke and minor nondisabling neurologic deficits: the PRISMS randomized clinical trial. *JAMA* 320: 156, 2018. [PMID: 29998337]
173. Powers WJ: Intravenous alteplase for mild nondisabling acute ischemic stroke: a bridge too far? *JAMA* 320: 141, 2018. [PMID: 29998321]
174. Adams HP Jr, del Zoppo G, Alberts MJ, et al: Guidelines for the early management of adults with ischemic stroke: a guideline from the American Heart Association/American Stroke Association Stroke Council, Clinical Cardiology Council, Cardiovascular Radiology and Intervention Council, and the Atherosclerotic Peripheral Vascular Disease and Quality of Care Outcomes in Research Interdisciplinary Working Groups: the

- American Academy of Neurology affirms the value of this guideline as an educational tool for neurologists. *Stroke* 38: 1655, 2007. [PMID: 17431204]
175. Chester KW, Corrigan M, Schoeffler JM, et al. Making a Case for the Right-'ase' in Acute Ischemic Stroke: alteplase, tenecteplase, and reteplase. *Expert Opinion Drug Safety* 18: 2, 87-96, 2019. [PMID: 30712409]
 176. Cheng JW, Zhang XJ, Cheng LS, et al. Low-dose tissue plasminogen activator in acute ischemic stroke: a systematic review and meta-analysis. *J Stroke Cerebrovasc Dis* 27: 381, 2018. [PMID: 29111341]
 177. Lekoubou A, Philippeau F, Derex L, et al. Audit report and systematic review of orolingual angioedema in post-acute stroke thrombolysis. *Neurol Res* 36: 687, 2014. [PMID: 24620962]
 178. Corsari B, Partizguian T, Bonito V, et al. Incidence of orolingual angioedema after intravenous thrombolysis for stroke. *Neurol Sci* 39: 1877, 2018. [PMID: 30084073]
 179. Correia AS, Matias G, Calado S, Lourenco A, Viana-Baptista M. Orolingual angioedema associated with alteplase treatment of acute stroke: a reappraisal. *J Stroke Cerebrovasc Dis* 24: 31, 2015. [PMID: 25440357]
 180. Myslimi F, Caparros F, Dequatre-Ponchelle N, et al. Orolingual angioedema during or after thrombolysis for cerebral ischemia. *Stroke* 47: 1825, 2016. [PMID: 27197851]
 181. Pinho J, Alves JN, Oliveira L, et al. Orolingual angioedema after thrombolysis is not associated with insular cortex ischemia on pre-thrombolysis CT. *J Neurol Sci* 369: 48, 2016. [PMID: 27653864]
 182. Cheong E, Dodd L, Smith W, Kleinig T. Icatibant as a potential treatment of life-threatening alteplase-induced angioedema. *J Stroke Cerebrovasc Dis* 27: e36, 2018. [PMID: 29097062]
 183. Brown E, Campana C, Zimmerman J, Brooks S. Icatibant for the treatment of orolingual angioedema following the administration of tissue plasminogen activator. *Am J Emerg Med* 36: 1125, 2018. [PMID: 29653785]
 184. Pahs L, Droegge C, Kneale H, Pancioli A. A novel approach to the treatment of orolingual angioedema after tissue plasminogen activator administration. *Ann Emerg Med* 68: 345, 2016. [PMID: 27174372]
 185. Pelz JO, Michalski D, Saur D. Successful systemic thrombolysis with rtPA in a patient with history of a life-threatening rtPA-associated orolingual angioedema. *eNeurologicalSci* 8: 36, 2017. [PMID: 29260035]
 186. Ciccone A, Valvassori L, Nichelatti M, et al. Endovascular treatment for acute ischemic stroke. *N Engl J Med* 368: 904, 2013. [PMID: 23387822]
 187. Broderick JP, Palesch YY, Demchuk AM, et al. Endovascular therapy after intravenous t-PA versus t-PA alone for stroke. *N Engl J Med* 368: 893, 2013. [PMID: 23390923]
 188. Yeatts SD, Martin RH, Coffey CS, et al. Challenges of decision making regarding futility in a randomized trial: the Interventional Management of Stroke III experience. *Stroke* 45: 1408, 2014. [PMID: 24699059]
 189. Kidwell CS, Jahan R, Gornbein J, et al. A trial of imaging selection and endovascular treatment for ischemic stroke. *N Engl J Med* 368: 914, 2013. [PMID: 23394476]
 190. Berkhemer OA, Fransen PS, Beumer D, et al. A randomized trial of intraarterial treatment for acute ischemic stroke. *N Engl J Med* 372: 11, 2015. [PMID: 25517348]
 191. Campbell BC, Mitchell PJ, Kleinig TJ, et al. Endovascular therapy for ischemic stroke with perfusion-imaging selection. *N Engl J Med* 372: 1009, 2015. [PMID: 25671797]
 192. Goyal M, Demchuk AM, Menon BK, et al. Randomized assessment of rapid endovascular treatment of ischemic stroke. *N Engl J Med* 372: 1019, 2015. [PMID: 25671798]
 193. Saver JL, Goyal M, Bonafe A, et al. Stent-retriever thrombectomy after intravenous t-PA vs. t-PA alone in stroke. *N Engl J Med* 372: 2285, 2015. [PMID: 25882376]
 194. Jovin TG, Chamorro A, Cobo E, et al. Thrombectomy within 8 hours after symptom onset in ischemic stroke. *N Engl J Med* 372: 2296, 2015. [PMID: 25882510]
 195. Bracard S, Ducrocq X, Mas JL, et al. Mechanical thrombectomy after intravenous alteplase versus alteplase alone after stroke (THRACE): a randomised controlled trial. *Lancet Neurol* 15: 1138, 2016. [PMID: 27567239]
 196. Powers WJ, Derdeyn CP, Biller J, et al. 2015 American Heart Association/American Stroke Association focused update of the 2013 guidelines for the early management of patients with acute ischemic stroke regarding endovascular treatment: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke* 46: 3020, 2015. [PMID: 26123479]
 197. Goyal M, Menon BK, van Zwam WH, et al. Endovascular thrombectomy after large-vessel ischaemic stroke: a meta-analysis of individual patient data from five randomised trials. *Lancet* 387: 1723, 2016. [PMID: 26898852]
 198. Rodrigues FB, Neves JB, Caldeira D, Ferro JM, Ferreira JJ, Costa J. Endovascular treatment versus medical care alone for ischaemic stroke: systematic review and meta-analysis. *BMJ* 353: i1754, 2016. [PMID: 27091337]
 199. <https://clinicaltrials.gov/ct2/show/NCT02586415>. (Albers G, Marks MP, Lansberg M: Endovascular Therapy Following Imaging Evaluation for Ischemic Stroke 3 (DEFUSE 3) Protocol. 2015.) Accessed August 9, 2018.
 200. <https://www.clinicaltrials.gov/ct2/show/NCT02142283>. (Jovin T, Nogueira R: Clinical Mismatch in the Triage of Wake Up and Late Presenting STrokes Undergoing Neurointervention With Trevo (DAWN) Protocol. 2014.) Accessed August 9, 2018.
 201. Alberts MJ, Range J, Spencer W, Cantwell V, Hampel MJ. Availability of endovascular therapies for cerebrovascular disease at primary stroke centers. *Interv Neuroradiol* 23: 64, 2017. [PMID: 27895242]
 202. Arrich J, Holzer M, Havel C, Mullner M, Herkner H. Hypothermia for neuroprotection in adults after cardiopulmonary resuscitation. *Cochrane Database Syst Rev* 2: CD004128, 2016. [PMID: 26878327]
 203. Zhang Z, Zhang L, Ding Y, Han Z, Ji X. Effects of therapeutic hypothermia combined with other neuroprotective strategies on ischemic stroke: review of evidence. *Aging Dis* 9: 507, 2018. [PMID: 29896438]
 204. Chen J, Liu L, Zhang H, et al. Endovascular hypothermia in acute ischemic stroke: pilot study of selective intra-arterial cold saline infusion. *Stroke* 47: 1933, 2016. [PMID: 27197848]
 205. Geurts M, Petersson J, Brizzi M, et al. COOLIST (Cooling for Ischemic Stroke Trial): a multicenter, open, randomized, phase II, clinical trial. *Stroke* 48: 219, 2017. [PMID: 27856954]
 206. Kang BT, Leoni RF, Kim DE, Silva AC. Phenylephrine-induced hypertension during transient middle cerebral artery occlusion alleviates ischemic brain injury in spontaneously hypertensive rats. *Brain Res* 1477: 83, 2012. [PMID: 22954904]
 207. Koenig MA, Geocadin RG, de Grouchy M, et al. Safety of induced hypertension therapy in patients with acute ischemic stroke. *Neurocritic Care* 4: 3, 2006. [PMID: 16498187]
 208. Shin HK, Nishimura M, Jones PB, et al. Mild induced hypertension improves blood flow and oxygen metabolism in transient focal cerebral ischemia. *Stroke* 39: 1548, 2008. [PMID: 18340095]
 209. Hillis AE, Ulatowski JA, Barker PB, et al. A pilot randomized trial of induced blood pressure elevation: effects on function and focal perfusion in acute and subacute stroke. *Cerebrovasc Dis* 16: 236, 2003. [PMID: 12865611]
 210. Regenhardt RW, Das AS, Stapleton CJ, et al. Blood pressure and penumbral sustenance in stroke from large vessel occlusion. *Front Neurol* 8: 317, 2017. [PMID: 28717354]
 211. Vahedi K, Vicaut E, Mateo J, et al. Sequential-design, multicenter, randomized, controlled trial of early decompressive craniectomy in malignant middle cerebral artery infarction (DECIMAL Trial). *Stroke* 38: 2506, 2007. [PMID: 17690311]
 212. Juttler E, Schwab S, Schmiedek P, et al. Decompressive Surgery for the Treatment of Malignant Infarction of the Middle Cerebral Artery (DESTINY): a randomized, controlled trial. *Stroke* 38: 2518, 2007. [PMID: 17690310]
 213. Hofmeijer J, Kappelle LJ, Algra A, et al. Surgical decompression for space-occupying cerebral infarction (the Hemicraniectomy After Middle Cerebral Artery Infarction with Life-threatening Edema Trial [HAMLET]): a multicentre, open, randomised trial. *Lancet Neurol* 8: 326, 2009. [PMID: 19269254]
 214. Vahedi K, Hofmeijer J, Juttler E, et al. Early decompressive surgery in malignant infarction of the middle cerebral artery: a pooled analysis of three randomised controlled trials. *Lancet Neurol* 6: 215, 2007. [PMID: 17303527]
 215. Frank JI, Schumm LP, Wroblewski K, et al. Hemicraniectomy and durotomy upon deterioration from infarction-related swelling trial: randomized pilot clinical trial. *Stroke* 45: 781, 2014. [PMID: 24425122]
 216. Yang MH, Lin HY, Fu J, Roodrajeetsing G, Shi SL, Xiao SW. Decompressive hemicraniectomy in patients with malignant middle cerebral artery infarction: a systematic review and meta-analysis. *Surgeon* 13: 230, 2015. [PMID: 25661677]
 217. Streib CD, Hartman LM, Molyneux BJ. Early decompressive craniectomy for malignant cerebral infarction: meta-analysis and clinical decision algorithm. *Neurol Clin Pract* 6: 433, 2016. [PMID: 27847685]
 218. Alexander P, Heels-Ansdell D, Siemieniuk R, et al. Hemicraniectomy versus medical treatment with large MCA infarct: a review and meta-analysis. *BMJ Open* 6: e014390, 2016. [PMID: 27884858]
 219. Easton JD, Saver JL, Albers GW, et al. Definition and evaluation of transient ischemic attack: a scientific statement for healthcare professionals from the American Heart Association/American Stroke Association Stroke Council; Council on Cardiovascular Surgery and Anesthesia; Council on Cardiovascular Radiology and Intervention; Council on Cardiovascular Nursing; and the Interdisciplinary Council on Peripheral Vascular Disease. The American Academy of Neurology affirms the value of this statement as an educational tool for neurologists. *Stroke* 40: 2276, 2009. [PMID: 19423857]
 220. Shah SH, Saver JL, Kidwell CS, et al. A multicenter pooled, patient-level data analysis of diffusion-weighted MRI in TIA patients. *Stroke* 38: 463, 2007.
 221. Thacker EL, Wiggins KL, Rice KM, et al. Short-term and long-term risk of incident ischemic stroke after transient ischemic attack. *Stroke* 41: 239, 2010. [PMID: 19959534]
 222. Al-Khaled M, Matthis C, Munte TF, Eggers J. Use of cranial CT to identify a new infarct in patients with a transient ischemic attack. *Brain Behav* 2: 377, 2012. [PMID: 22950041]
 223. Oostema JA, Brown MD, DeLano M, Falzon L, Reeves MJ. Does diffusion-weighted imaging predict short-term risk of stroke in emergency department patients with transient ischemic attack? *Ann Emerg Med* 61: 62, 2013. [PMID: 22387087]
 224. Nah HW, Kwon SU, Kang DW, Lee DH, Kim JS. Diagnostic and prognostic value of multimodal MRI in transient ischemic attack. *Int J Stroke* 9: 895, 2014. [PMID: 24256197]
 225. Wardlaw JM, Chappell FM, Best JJ, et al. Non-invasive imaging compared with intra-arterial angiography in the diagnosis of symptomatic carotid stenosis: a meta-analysis. *Lancet* 367: 1503, 2006. [PMID: 16679163]
 226. American College of Emergency Physicians Clinical Policies Subcommittee on Suspected Transient Ischemic Attack, Lo BM, Carpenter CR, Hatten BW, Wright BJ, Brown MD: Clinical policy: critical issues in the evaluation of adult patients with suspected transient ischemic attack in the emergency department. *Ann Emerg Med* 68: 354, 2016. [PMID: 27568419]
 227. <https://www.cadth.ca/computed-tomography-angiography-diagnosis-stroke-or-transient-ischemic-attack-clinical-1>. (Canadian Agency for Drugs and Technologies in Health: Computed tomography angiography for diagnosis of stroke or transient ischemic attack: a review of the clinical effectiveness. Ottawa, Ontario, Canada, 2016.) Accessed December 4, 2018.
 228. Malloy RJ, Kanaan AO, Silva MA, Donovan JL. Evaluation of antiplatelet agents for secondary prevention of stroke using mixed treatment comparison meta-analysis. *Clin Ther* 35: 1490, 2013. [PMID: 24139421]
 229. Johnston SC, Easton JD, Farrant M, et al. Platelet-oriented inhibition in new TIA and minor ischemic stroke (POINT) trial: rationale and design. *Int J Stroke* 8: 479, 2013. [PMID: 23879752]

230. Dlott JS, George RA, Huang X, et al: A national assessment of warfarin anticoagulation therapy for stroke prevention in atrial fibrillation. *Circulation* 129: 1407, 2014. [PMID: 24493817]
231. Gomez-Outes A, Terleira-Fernandez AI, Calvo-Rojas G, Suarez-Gea ML, Vargas-Castrillon E: Dabigatran, rivaroxaban, or apixaban versus warfarin in patients with nonvalvular atrial fibrillation: a systematic review and meta-analysis of subgroups. *Thrombosis* 2013: 640723, 2013. [PMID: 24455237]
232. Sandercock PA, Counsell C, Kane EJ: Anticoagulants for acute ischaemic stroke. *Cochrane Database Syst Rev* 3: CD000024, 2015. [PMID: 25764172]
233. Paciaroni M, Agnelli G, Micheli S, Caso V: Efficacy and safety of anticoagulant treatment in acute cardioembolic stroke: a meta-analysis of randomized controlled trials. *Stroke* 38: 423, 2007. [PMID: 17204681]
234. Whiteley WN, Adams HP Jr, Bath PM, et al: Targeted use of heparin, heparinoids, or low-molecular-weight heparin to improve outcome after acute ischaemic stroke: an individual patient data meta-analysis of randomised controlled trials. *Lancet Neurol* 12: 539, 2013. [PMID: 23642343]
235. Rothwell PM, Eliasziw M, Gutnikov SA, Warlow CP, Barnett HJ: Endarterectomy for symptomatic carotid stenosis in relation to clinical subgroups and timing of surgery. *Lancet* 363: 915, 2004. [PMID: 15043958]
236. Brott TG, Hobson RW 2nd, Howard G, et al: Stenting versus endarterectomy for treatment of carotid-artery stenosis. *N Engl J Med* 363: 11, 2010. [PMID: 20505173]
237. Featherstone RL, Dobson J, Ederle J, et al: Carotid artery stenting compared with endarterectomy in patients with symptomatic carotid stenosis (International Carotid Stenting Study): a randomised controlled trial with cost-effectiveness analysis. *Health Technol Assess* 20: 1, 2016. [PMID: 26979174]
238. Brott TG, Howard G, Roubin GS, et al: Long-term results of stenting versus endarterectomy for carotid-artery stenosis. *N Engl J Med* 374: 1021, 2016. [PMID: 26890472]
239. Ederle J, Dobson J, Featherstone RL, et al: Carotid artery stenting compared with endarterectomy in patients with symptomatic carotid stenosis (International Carotid Stenting Study): an interim analysis of a randomised controlled trial. *Lancet* 375: 985, 2010. [PMID: 20189239]
240. Johnston SC, Rothwell PM, Nguyen-Huynh MN, et al: Validation and refinement of scores to predict very early stroke risk after transient ischaemic attack. *Lancet* 369: 283, 2007. [PMID: 17258668]
241. Perry JJ, Sharma M, Sivilotti ML, et al: Prospective validation of the ABCD2 score for patients in the emergency department with transient ischemic attack. *CMAJ* 183: 1137, 2011. [PMID: 21646462]
242. Cancelli I, Janes F, Gigli GL, et al: Incidence of transient ischemic attack and early stroke risk: validation of the ABCD2 score in an Italian population-based study. *Stroke* 42: 2751, 2011. [PMID: 21836095]
243. Ozpolat C, Denizbasat A, Akoglu H, Onur O, Eroglu SE, Demir H: Use of ABCD2 risk scoring system to determine the short-term stroke risk in patients presenting to emergency department with transient ischaemic attack. *J Pak Med Assoc* 63: 1142, 2013. [PMID: 24601194]
244. Bradley D, Cronin S, Kinsella JA, et al: Frequent inaccuracies in ABCD2 scoring in non-stroke specialists' referrals to a daily Rapid Access Stroke Prevention service. *J Neurol Sci* 332: 30, 2013. [PMID: 23871489]
245. Dutta D, Bailey SJ: Validation of ABCD2 scores ascertained by referring clinicians: a retrospective transient ischaemic attack clinic cohort study. *Emerg Med J* 33: 543, 2016. [PMID: 27056830]
246. Ghia D, Thomas P, Cordato D, et al: Low positive predictive value of the ABCD2 score in emergency department transient ischaemic attack diagnoses: the South Western Sydney transient ischaemic attack study. *Intern Med J* 42: 913, 2012. [PMID: 21790923]
247. Ishida K, Kasner SE, Cucchiara B: Inter-rater reliability and misclassification of the ABCD(2) Score after transient ischemic attack. *J Stroke Cerebrovasc Dis* 24: 1174, 2015. [PMID: 25816725]
248. Sanders LM, Srikanth VK, Blacker DJ, Jolley DJ, Cooper KA, Phan TG: Performance of the ABCD2 score for stroke risk post TIA: meta-analysis and probability modeling. *Neurology* 79: 971, 2012. [PMID: 22700810]
249. Kiyohara T, Kamouchi M, Kumai Y, et al: ABCD3 and ABCD3-I scores are superior to ABCD2 score in the prediction of short- and long-term risks of stroke after transient ischemic attack. *Stroke* 45: 418, 2014. [PMID: 24335223]
250. Perry JJ, Sharma M, Sivilotti ML, et al: A prospective cohort study of patients with transient ischemic attack to identify high-risk clinical characteristics. *Stroke* 45: 92, 2014. [PMID: 24262323]
251. Ross MA, Compton S, Medado P, Fitzgerald M, Kilanowski P, O'Neil BJ: An emergency department diagnostic protocol for patients with transient ischemic attack: a randomized controlled trial. *Ann Emerg Med* 50: 109, 2007. [PMID: 17490788]
252. Oostema JA, Delano M, Bhatt A, Brown MD: Incorporating diffusion-weighted magnetic resonance imaging into an observation unit transient ischemic attack pathway: a prospective study. *Neurohospitalist* 4: 66, 2014. [PMID: 24707334]
253. Kerr G, Ray G, Wu O, Stott DJ, Langhorne P: Elevated troponin after stroke: a systematic review. *Cerebrovasc Dis* 28: 220, 2009. [PMID: 19571535]
254. Masri W, Le Guillou E, Hamdi E, et al: Troponin elevation in other conditions than acute coronary syndromes. *Ann Biol Clin* 75: 411, 2017. [PMID: 28751286]
255. Tanindi A, Cemri M: Troponin elevation in conditions other than acute coronary syndromes. *Vasc Health Risk Manag* 7: 597, 2011. [PMID: 22102783]
256. Fan Y, Jiang M, Gong D, Man C, Chen Y: Cardiac troponin for predicting all-cause mortality in patients with acute ischemic stroke: a meta-analysis. *Biosci Rep* 38: 2, 2018. [PMID: 29437906]
257. Scheitz JF, Endres M, Mochmann HC, Audebert HJ, Nolte CH: Frequency, determinants and outcome of elevated troponin in acute ischemic stroke patients. *Int J Cardiol* 157: 239, 2012. [PMID: 22326514]
258. Grogono J, Fitzsimmons SJ, Shah BN, Rakhit DJ, Gray HH: Simultaneous myocardial infarction and ischaemic stroke secondary to paradoxical emboli through a patent foramen ovale. *Clin Med* 12: 391, 2012. [PMID: 22930890]
259. Barros-Gomes S, El Sabbagh A, Eleid MF, Mankad SV: Concomitant acute stroke, pulmonary and myocardial infarction due to in-transient thrombus across a patent foramen ovale. *Echo Res Pract* 5: 19, 2018. [PMID: 30099387]
260. Yuan PJ, Wong WK: Acute myocardial infarction and concomitant stroke as the manifestations in a patient with type A aortic dissection: a case report with three years of follow-up. *Acta Cardiol Sin* 34: 104, 2018. [PMID: 29375232]
261. Maciel R, Palma R, Sousa P, Ferreira F, Nzwalo H: Acute stroke with concomitant acute myocardial infarction: will you thrombolyse? *J Stroke* 17: 84, 2015. [PMID: 25692111]
262. Ohene-Frempong K, Weiner SJ, Sleeper LA, et al: Cerebrovascular accidents in sickle cell disease: rates and risk factors. *Blood* 91: 288, 1998. [PMID: 9414296]
263. Adams RJ, Cox M, Ozark SD, et al: Coexistent sickle cell disease has no impact on the safety or outcome of lytic therapy in acute ischemic stroke: findings from get with the guidelines-stroke. *Stroke* 48: 686, 2017. [PMID: 28183857]
264. Strouse JJ, Lanzkron S, Urrutia V: The epidemiology, evaluation and treatment of stroke in adults with sickle cell disease. *Expert Rev Hematol* 4: 597, 2011. [PMID: 22077524]
265. Swerdlow PS: Red cell exchange in sickle cell disease. *Hematol Am Soc Hematol Educ Program* 2006: 48, 2006. [PMID: 17124039]
266. Yawn BP, Buchanan GR, Afeniyi-Annan AN, et al: Management of sickle cell disease: summary of the 2014 evidence-based report by expert panel members. *JAMA* 312: 1033, 2014. [PMID: 25203083]
267. Kassim AA, Galadanci NA, Pruthi S, DeBaun MR: How I treat and manage strokes in sickle cell disease. *Blood* 125: 3401, 2015. [PMID: 25824688]
268. Hulbert ML, Scothorn DJ, Panepinto JA, et al: Exchange blood transfusion compared with simple transfusion for first overt stroke is associated with a lower risk of subsequent stroke: a retrospective cohort study of 137 children with sickle cell anemia. *J Pediatr* 149: 710, 2006. [PMID: 17095350]
269. Bejot Y, Daubail B, Jacquin A, et al: Trends in the incidence of ischaemic stroke in young adults between 1985 and 2011: the Dijon Stroke Registry. *J Neurol Neurosurg Psychiatry* 85: 509, 2014. [PMID: 24249786]
270. Feigin VL, Roth GA, Naghavi M, et al: Global burden of stroke and risk factors in 188 countries, during 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. *Lancet Neurol* 15: 913, 2016. [PMID: 27291521]
271. George MG, Tong X, Bowman BA: Prevalence of cardiovascular risk factors and strokes in younger adults. *JAMA Neurol* 74: 695, 2017. [PMID: 28395017]
272. Symposium on recent trends in the research of hyperlipidemia in Japan. Presented at the 86th annual scientific session of the Japanese Society of Internal Medicine. April 2, 1989, Kyoto. *Japn J Med* 28: 657, 1989. [PMID: 2585897]
273. Bullard KM, Cowie CC, Lessem SE, et al: Prevalence of diagnosed diabetes in adults by diabetes type: United States, 2016. *MMWR Morbid Mortal Wkly Rep* 67: 359, 2018. [PMID: 29596402]
274. Geiss LS, Wang J, Cheng YJ, et al: Prevalence and incidence trends for diagnosed diabetes among adults aged 20 to 79 years, United States, 1980-2012. *JAMA* 312: 1218, 2014. [PMID: 25247518]
275. Hales CM, Fryar CD, Carroll MD, Freedman DS, Ogden CL: Trends in obesity and severe obesity prevalence in US youth and adults by sex and age, 2007-2008 to 2015-2016. *JAMA* 319: 1723, 2018. [PMID: 29570750]
276. de los Rios F, Kleindorfer DO, Khoury J, et al: Trends in substance abuse preceding stroke among young adults: a population-based study. *Stroke* 43: 3179, 2012. [PMID: 23160887]
277. Ekker MS, Boot EM, Singhal AB, et al: Epidemiology, aetiology, and management of ischaemic stroke in young adults. *Lancet Neurol* 17: 790, 2018. [PMID: 30129475]
278. Marcus JL, Leyden WA, Chao CR, et al: HIV infection and incidence of ischemic stroke. *Aids* 28: 1911, 2014. [PMID: 24937309]
279. Bright CJ, Hawkins MM, Guha J, et al: Risk of cerebrovascular events in 178 962 five-year survivors of cancer diagnosed at 15 to 39 years of age: the TYACSS (Teenage and Young Adult Cancer Survivor Study). *Circulation* 135: 1194, 2017. [PMID: 28122884]
280. Shi J, Cao Y, You S, et al: Young stroke patients treated with intravenous thrombolysis have a more favorable outcome and mortality compared with older patients. *Curr Neurovasc Res* 14: 141, 2017. [PMID: 28356003]
281. Chalouhi N, Tjoumakaris S, Starke RM, et al: Endovascular stroke intervention in young patients with large vessel occlusions. *Neurosurg Focus* 36: E6, 2014. [PMID: 24380483]
282. Dasenbrock HH, Robertson FC, Aziz-Sultan MA, et al: Patient age and the outcomes after decompressive hemicraniectomy for stroke: a nationwide inpatient sample analysis. *Neurocrit Care* 25: 371, 2016. [PMID: 27406817]