

26 Fluid and Blood Resuscitation



REFERENCES

1. DemetriaDES D, Murray J, Charalambides K, et al: Trauma fatalities: time and location of hospital deaths. *J Am Coll Surg* 198: 20, 2004.
2. Reilly PM, Wilkins KB, Fuh KC, et al: The mesenteric hemodynamic response to circulatory shock: an overview. *Shock* 15: 329, 2001.
3. Mukamal KJ, Massaro JM, Ault KA, et al: Alcohol consumption and platelet activation and aggregation among women and men: the Framingham Offspring Study. *Alcohol Clin Exp Res* 29: 1906, 2005.
4. Carr BG, Dean AJ, Everett WW, et al: Intensivist bedside ultrasound (INBU) for volume assessment in the intensive care unit: a pilot study. *J Trauma* 63: 495; discussion 500, 2007.
5. Aggarwal V, Chatterjee A, Cho Y, Cheung D: Ultrasound-guided noninvasive measurement of a patient's central venous pressure. *Conf Proc IEEE Eng Med Biol Soc* 1: 3843, 2006.
6. Randazzo MR, Snoey ER, Levitt MA, Binder K: Accuracy of emergency physician assessment of left ventricular ejection fraction and central venous pressure using echocardiography. *Acad Emerg Med* 10: 973, 2003.
7. Lipton B: Estimation of central venous pressure by ultrasound of the internal jugular vein. *Am J Emerg Med* 18: 432, 2000.
8. Kwan I, Bunn F, Roberts I, et al: Timing and volume of fluid administration for patients with bleeding. *Cochrane Database of Syst Rev* (3): CD002245, 2003.
9. Beeckley AC: Damage control resuscitation: a sensible approach to the exsanguinating surgical patient. *Crit Care Med* 36(Suppl): S267, 2008.
10. Alam HB, Rhee P: New developments in fluid resuscitation. *Surg Clin North Am* 87: 55, 2007.
11. Goodnough LT: Transfusion triggers. *Surgery* 142(4 Suppl): S67, 2007
12. American Society of Anesthesiologists Task Force: Practice guidelines for blood component therapy. *Anesthesiology* 84: 732, 1996.
13. Zallen G, Offner PJ, Moore EE, et al: Age of transfused blood is an independent risk factor of postinjury multiple organ failure. *Am J Surg* 178: 570, 1999.
14. Charles A, Shaikh AA, Walters M, et al: Blood transfusion is an independent predictor of mortality after blunt trauma. *Am Surg* 73: 1, 2007.
15. The Albumin Reviewers: Human albumin solution for resuscitation and volume expansion in critically ill patients. *Cochrane Database of Syst Rev* (4): CD001208, 2008.
16. Perel P, Roberts I: Colloids versus crystalloids for fluid resuscitation in critically ill patients. *Cochrane Database of Syst Rev* (4): CD000567, 2007.
17. Bunn F, Trivedi D, Ashraf S: Colloid solutions for fluid resuscitation. *Cochrane Database of Syst Rev* (1): CD001319, 2008.
18. Institute of Medicine, Committee on Fluid Resuscitation for Combat Casualties: *Fluid Resuscitation: State of the Science for Treating Combat Casualties and Civilian Injuries*. National Academy Press, Washington, DC, 1999.
19. Bunn R, Roberts I, Tasker R, et al: Hypertonic versus isotonic crystalloid for fluid resuscitation in critically ill patients. *Cochrane Database of Syst Rev* (1): CD002045, 2002.
20. Stern SA: Low-volume fluid resuscitation for presumed hemorrhagic shock: helpful or harmful? *Curr Opin Crit Care* 7: 422, 2001.
21. Bickell WM, Wall MJ, Pepe PE, et al: Immediate versus delayed fluid resuscitation for hypotensive patients with penetrating torso injuries. *N Engl J Med* 331: 1105, 1994.
22. Eastman AL, Minei JP: Comparison of hemoglobin-based oxygen carriers to stored human red blood cells. *Crit Care Clin* 25: 303, 2009.
23. Jahr JS, Walker V, Manoochehri K: Blood substitutes as pharmacotherapies in clinical practice. *Curr Opin Anaesthet* 20: 325, 2007.
24. Cohn CS, Cushing MM: Oxygen therapeutics: perfluorocarbons and blood substitute safety. *Crit Care Clin* 25: 399, 2009.
25. Rady MY, Rivers EP, Martin GD, et al: Continuous central venous oximetry and shock index in the emergency department: use in the evaluation of clinical shock. *Am J Emerg Med* 10: 538, 1992.
26. Porter JM, Ivatury RR: In search of the optimal end points of resuscitation in trauma patients: a review. *J Trauma* 44: 908, 1998.
27. Rutherford EJ, Morris JA, Reed GW, et al: Base deficit stratifies mortality and determines therapy. *J Trauma* 33: 417, 1992.