

29 Pediatric Airway Management

REFERENCES

1. Luten R, Wears R, Broselow J, et al: Managing the unique size related issues of pediatric resuscitation: reducing cognitive load with resuscitation aids. *Acad Emerg Med* 9: 840, 2002.
2. Benumof JL, Dagg R, Benumof R: Critical hemoglobin desaturation will occur before return to an unparalyzed state following 1 mg/kg of IV succinylcholine. *Anesthesiology* 87: 979, 1997.
3. Goldmann K: Recent developments in airway management of the paediatric patient. *Curr Opin Anesthesiol* 19: 278, 2006.
4. Luten RC, Kissoon N: The difficult pediatric airway, in Walls RM, Murphy MF (eds): *Manual of Emergency Airway Management, 3rd ed.* Philadelphia, Lippincott Williams & Wilkins, 2008, p. 291.
5. Vissers RJ, Bair AE: Surgical airway techniques, in Walls RM, Murphy MF (eds): *Manual of Emergency Airway Management, 3rd ed.* Philadelphia, Lippincott Williams & Wilkins, 2008, p. 192.
6. Mellick LB, Edholm T, Corbett SW: Pediatric laryngoscope blade size selection using facial landmarks. *Pediatr Emerg Care* 22: 226, 2006.
7. Levitan RM, Kinkle WC, Levin WJ, Everett WW: Laryngeal view during laryngoscopy: a randomized trial comparing cricoid pressure, backward-upward-rightward pressure, and bimanual laryngoscopy. *Ann Emerg Med* 47: 548, 2006.
8. Ellis DY, Harris T, Zideman D: Cricoid pressure in emergency department rapid sequence tracheal intubations: a risk-benefit analysis. *Ann Emerg Med* 50: 653, 2007.
9. Sagarin MJ, Chiang V, Sackles JC, et al, on behalf of the National Emergency Airway Registry (NEAR) investigators: Rapid sequence intubation for pediatric emergency airway management. *Pediatr Emerg Care* 18: 417, 2002.
10. Robinson N, Clancy M: In patients undergoing rapid sequence intubation, does pretreatment with lidocaine lead to an improved neurologic outcome? A review of the literature. *Emerg Med J* 18: 453, 2001.
11. Fleming B, McCollough M, Henderson SO: Myth: atropine should be administered before succinylcholine for neonatal and pediatric intubation. *Can J Emerg Med* 7: 114, 2005.
12. Robinson AL, Jerwood DC, Stokes MA: Routine suxamethonium in children. A regional survey of current usage. *Anaesthesia* 51: 874, 1996.
13. Perry JJ, Lee J, Wells G: Are intubating conditions using rocuronium equivalent to those using succinylcholine? *Acad Emerg Med* 9: 813, 2002.
14. Grmec S: Comparison of three different methods to confirm tracheal tube placement in the emergency setting. *Intensive Care Med* 28: 701, 2002.
15. Luten RC, McAllister JD: Approach to the pediatric airway, in Walls RM, Murphy MF (eds): *Manual of Emergency Airway Management, 3rd ed.* Philadelphia, Lippincott Williams & Wilkins, 2008, p. 263.
16. Practice guidelines for management of the difficult airway: an updated report by The American Society of Anesthesiologists Task Force on Management of the Difficult Airway. *Anesthesiology* 98: 1269, 2003.
17. Stocks RM, Egerman R, Thompson JW, et al: Airway management of the severely retrognathic child: use of the laryngeal mask airway. *Ear Nose Throat J* 81: 223, 2002.
18. Selim M, Mowafi H, Al-Ghamdi A, et al: Intubation via LMA in pediatric patients with difficult airways. *Can J Anesth* 46: 891, 1999.
19. Grein AJ, Weiner GM: Laryngeal mask airway versus bag-mask ventilation or endotracheal intubation for neonatal resuscitation. *Cochrane Database Syst Rev* CD003314, 2005.
20. Bortone L, Ingelmo PM, De Ninno G, et al: Randomized controlled trial comparing the laryngeal tube and the laryngeal mask in pediatric patients. *Paediatr Anaesth* 16: 251, 2006.
21. Tsujimura Y: Downfolding of the epiglottis induced by the laryngeal mask airway in children: a comparison between two insertion techniques. *Anesthesia* 58: 390, 2003.
22. Shukry M, Hanson RD, Koveleskie JR, et al: Management of the difficult pediatric airway with Shikani Optical Stylet. *Paediatr Anaesth* 15: 342, 2005.
23. Cooper RM, Pacey JA, Bishop MJ, McCluskey SA: Early clinical experience with a new videolaryngoscope (GlideScope) in 728 patients. *Can J Anaesth* 52: 191, 2005.