

129 Seizures and Status Epilepticus in Children

REFERENCES

1. Perrig S, Jallon P: Is the first seizure truly epileptic? *Epilepsia* 49(suppl 1): 2, 2008.
2. Available at: <http://www.epilepsyfoundation.org>. Accessed November 30, 2008.
3. Available at: <http://www.aap.org>. Accessed November 30, 2008.
4. Freedman SB, Powell EC: Pediatric seizures and their management in the emergency department. *Clin Pediatr Emerg Med* 4: 195, 2003.
5. Fisher R, van Emde Boas W, Blume W: Epileptic seizures and epilepsy: definitions proposed by the International League Against Epilepsy (ILAE) and the International Bureau for Epilepsy (IBE). *Epilepsia* 46: 470, 2005.
6. Neville BG, Chin RF, Scott RC: Childhood convulsive status epilepticus: epidemiology, management and outcome. *Acta Neurol Scand Suppl* 186: 21, 2007.
7. Abend NS, Huh JW, Helfaer MA, Dlugos DJ: Anticonvulsant medications in the pediatric emergency room and intensive care unit. *Pediatr Emerg Care* 24(10): 705, 2008.
8. Jette N, Claassen J, Emerson RG, Hirsch LJ: Frequency and predictors of nonconvulsive seizures during continuous electroencephalographic monitoring in critically ill children. *Arch Neurol* 63(12): 1750, 2006.
9. Sharma S, Riviello JJ, Harper MB, Baskin MN: The role of emergent neuroimaging in children with new-onset afebrile seizures. *Pediatrics* 111(1): 1, 2003.
10. Lewena S: When benzodiazepines fail: how effective is second line therapy for status epilepticus in children? *Emerg Med Australas* 18: 45, 2006.
11. Benbadis SR, Wolgamuth BR, Goren H, et al: Value of tongue biting in the diagnosis of seizures. *Arch Intern Med* 155(15): 2326, 1995.
12. NINDS Todd's Paralysis Information Page. National Institute of Neurological Disorders and Stroke. Available at: <http://www.ninds.nih.gov/disorders/toddsparalysis>. Accessed November 30, 2008.
13. Treiman DM, Meyers PD, Walton NY, et al: A comparison of four treatments for generalized convulsive status epilepticus. Veterans Affairs Status Epilepticus Cooperative Study Group. *N Engl J Med* 339(12): 792, 1998.
14. Scott RC: The acute management of seizures in childhood. *Hosp Med* 65(12): 748, 2004.
15. Lahat E: A prospective, randomized study comparing intramuscular midazolam with intravenous diazepam for the treatment of seizures in children. *Pediatr Emerg Care* 13(6): 449, 1997.
16. Treiman DM, Meyers PD, Walton NY, et al: Intranasal midazolam for childhood seizures. *Lancet* 352(9128): 620, 1998.
17. Holsti M, Sill BL, Firth SD, et al: Prehospital intranasal midazolam for the treatment of pediatric seizures. *Pediatr Emerg Care* 23(3): 148, 2007.
18. Holsti M, Schunk J, Greenberg R, et al: Intranasal midazolam versus rectal diazepam for the home treatment of acute seizures in pediatric patients with epilepsy. Paper presented at PAS 2009. Pediatric Academic Societies Annual Meeting. Baltimore, MD, May 2–5, 2009.
19. McIntyre J, Robertson S, Norris E, et al: Safety and efficacy of buccal midazolam versus rectal diazepam for emergency treatment of seizures in children: a randomized controlled trial. *Lancet* 366(9481): 205, 2005.
20. Scott RC: Buccal midazolam as rescue therapy for acute seizures. *Lancet Neurol* 4(1): 592, 2005.
21. Scott RC, Besag FM, Neville BG: Intranasal midazolam for treating febrile seizures in children. Buccal midazolam should be preferred to nasal midazolam. *BMJ* 322(7278): 107, 2001.
22. Ahmad S, Ellis JC, Kamwendo H, Molyneux E: Efficacy and safety of intranasal lorazepam versus intramuscular paraldehyde for protracted convulsions in children: an open randomised trial. *Lancet* 367(9522): 1591, 2006.
23. Wolfe Tory Medical, Salt Lake City, Utah. Available at: <http://www.wolftory.com>. Accessed October 2009.
24. Arif H, Hirsch LJ: Treatment of status epilepticus. *Semin Neurol* 28(3): 342, 2008.
25. Rey E, Tréluyer JM, Pons G: Pharmacokinetic optimisation of benzodiazepine therapy for acute seizures. *Clin Pharmacokinet* 36(6): 409, 1999.
26. Abend NS, Dlugos DJ: Treatment of refractory status epilepticus: literature review and a proposed protocol. *Pediatr Neurol* 38(6): 377, 2008.
27. Chin RFM, Verhulst L, Neville BGR, et al: Inappropriate emergency management of status epilepticus in children contributes to need for intensive care. *J Neurol Neurosurg Psychiatry* 75: 1584, 2004.
28. Yu KT, Mills S, Thompson N, Cunanan C: Safety and efficacy of intravenous valproate in pediatric status epilepticus and acute repetitive seizures. *Epilepsia* 44(5): 724, 2003.
29. Überall MA, Trollmann R, Wunsiedler U, Wenzel D: Intravenous valproate in pediatric epilepsy patients with refractory status epilepticus. *Neurology* 54(11): 2188, 2000.
30. Rossetti AO, Bromfield EB: Determinants of success in the use of oral levetiracetam in status epilepticus. *Epilepsy Behav* 8(3): 651, 2006.
31. Harrison AM, Lugo RA, Schunk JE: Treatment of convulsive status epilepticus with propofol: case report. *Pediatr Emerg Care* 13(6): 420, 1997.
32. Van Gestel JP, Blusse van Oud-Alblas HJ, Malingre M, et al: Propofol and thiopental for refractory status epilepticus in children. *Neurology* 65: 591, 2005.
33. Provisional Committee on Quality Improvement, Subcommittee on Febrile Seizures: Practice parameter: the neurodiagnostic evaluation of the child with a first simple febrile seizure. *Pediatrics* 97(5): 769, 1996.
34. Kimia AA, Capraro AJ, Hummel D, et al: Utility of lumbar puncture for first simple febrile seizure among children 6 to 18 months of age. *Pediatrics* 123(1): 6, 2009.
35. Shaked O, Garcia Peña BM, Linares MY, Baker RL: Simple febrile seizures: are the AAP guidelines regarding lumbar puncture being followed? *Pediatr Emerg Care* 25(1): 8, 2009.
36. Steering Committee on Quality Improvement and Management, Subcommittee on Febrile Seizures: Febrile seizures: clinical practice guideline for the long-term management of the child with simple febrile seizures. *Pediatrics* 121(6): 1281, 2008.
37. Riviello S Jr, Ashwal D, Hirtz T, et al: Practice parameter: diagnostic assessment of the child with status epilepticus (an evidence-based review): report of the Quality Standards Subcommittee of the American Academy of Neurology and the Practice Committee of the Child Neurology Society. *Neurology* 67: 1542, 2006.
38. Chin RF, Neville BG, Scott RC: Meningitis is a common cause of convulsive status epilepticus with fever. *Arch Dis Child* 90 (1): 66, 2005.
39. Hirtz D, Berg A, Bettis D, et al: Practice parameter: treatment of the child with the first unprovoked seizure: report of the Quality Standards Subcommittee of the American Academy of Neurology and the Practice Committee of the Child Neurology Society. *Neurology* 60: 166, 2003.
40. Hirtz D, Ashwal S, Berg D, et al: Practice parameter: evaluating a first nonfebrile seizure in children: report of the Quality Standards Subcommittee of the American Academy of Neurology, the Child Neurology Society, and the American Epilepsy Society. *Neurology* 55: 616, 2000.
41. Shinnar S, Berg A, Moshe SL, et al: The risk of seizure recurrence after a first unprovoked afebrile seizure in childhood: an extended follow-up. *Pediatrics* 98: 216, 1996.
42. Lan CC, Wong TT, Chen SJ, et al: Early diagnosis of ventriculoperitoneal shunt infections and malfunction in children with hydrocephalus. *J Microbiol Immunol Infect* 36(1): 47, 2003.
43. Kaney PM, Sheehan JM: Reflections on shunt infection. *Pediatr Neurosurg* 39(6): 285, 2003.
44. Duhaime AC, Christian CW, Rorke LB, Zimmerman RA: Nonaccidental head injury in infants—the “shaken-baby syndrome.” *N Engl J Med* 338(25): 1822, 1998.
45. Salehi-Had H, Brandt JD, Rosas AJ, Rogers KK: Findings in older children with abusive head injury: does shaken-child syndrome exist? *Pediatrics* 117(5): e1039, 2006.

USEFUL WEB RESOURCES

Epilepsy Foundation—<http://www.epilepsyfoundation.org>
 NINDS Todd's Paralysis Information Page, National Institutes of Health, National Institute of Neurological Disorders and Stroke—<http://www.ninds.nih.gov/disorders/toddsparalysis>