

142 Fluid and Electrolyte Therapy in Infants and Children



REFERENCES

1. United States Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Health Statistics, Division of Data Services: *1999–2000 National Ambulatory Medical Care Survey Dataset*. Hyattsville, MD: United States Department of Health and Human Services, 2000.
2. Liebelt EL: Clinical and laboratory evaluation and management of children with vomiting, diarrhea and dehydration. *Curr Opin Pediatr* 10: 461, 1998.
3. Friedman JN, Goldman RD, Srivastava R, Parkin PC: Development of a clinical dehydration scale for use in children between 1 and 36 months of age. *J Pediatr* 145: 201, 2004.
4. Duggan C, Refit M, Hashem M, et al: How valid are clinical signs of dehydration in infants? *J Pediatr Gastroenterol Nutr* 22: 56, 1996.
5. Gorelick MH, Shaw KN, Murphy KO: Validity and reliability of clinical signs in the diagnosis of dehydration in children. *Pediatrics* 99(5): e6, 1997.
6. Vega RM, Avner JR: A prospective study of the usefulness of clinical and laboratory parameters for predicting percentage of dehydration in children. *Pediatr Emerg Care* 13(3): 179, 1997.
7. Gorelick MH, Shaw KN, Baker MD: Effect of ambient temperature on capillary refill in healthy children. *Pediatrics* 92: 699, 1993.
8. Gorelick MH, Shaw KN, Murphy KD, Baker MD: Effect of fever on capillary refill time. *Pediatr Emerg Care* 13(5): 305, 1997.
9. Saavedra JM, Harris GD, Song I, Finberg L: Capillary refill (skin turgor) in the assessment of dehydration. *Arch Dis Child* 145: 296, 1991.
10. Steiner MJ, DeWalt DA, Byerly JS: Is this child dehydrated? *JAMA* 291(22): 2746, 2004.
11. American Academy of Pediatrics: Practice parameter: the management of acute gastroenteritis in young children. *Pediatrics* 97: 424, 1996.
12. World Health Organization: *The treatment of diarrhoea*. WHO CDD/SER/80.2. Geneva, World Health Organization, 1995.
13. Narchi H: Serum bicarbonate and dehydration severity in gastroenteritis. *Arch Dis Child* 78: 70, 1998.
14. Rothrock SG, Green SM, McArthur CL, et al: Detection of electrolyte abnormalities in children presenting to the emergency department: multicenter, prospective analysis. *Acad Emerg Med* 4: 1025, 1997.
15. Vega RM, Avner JR: A prospective study of the usefulness of clinical and laboratory parameters for predicting percentage of dehydration in children. *Pediatr Emerg Care* 13: 179, 1997.
16. Teach SJ, Yates EW, Feld LG: Laboratory predictors of fluid deficit in acutely dehydrated children. *Clin Pediatr (Phila)* 36(7): 395, 1997.
17. Steiner MJ, Nager AL, Wang VJ: Urine specific gravity and other urinary indices: inaccurate tests for dehydration. *Pediatr Emerg Care* 23: 298, 2007.
18. Wathen JE, MacKenzie T, Bothner JP: Usefulness of the serum electrolyte panel in the management of pediatric dehydration treated with intravenously administered fluids. *Pediatrics* 114: 1227, 2004.
19. Wathen JE, MacKenzie T, Bothner JP: Usefulness of the serum electrolyte panel in the management of pediatric dehydration treated with intravenously administered fluids. *Pediatrics* 114(5): 1227, 2004.
20. American Academy of Pediatrics, Provisional Committee on Quality Improvement, Subcommittee on Acute Gastroenteritis: Practice parameter: the management of acute gastroenteritis in young children. *Pediatrics* 97: 424, 1996.
21. Nagler J, Wright RO, Krauss B: End-tidal carbon dioxide as a measure of acidosis among children with gastroenteritis. *Pediatrics* 118(1): 260, 2006.
22. Fonseca BK, Holdgate A, Craig JC: Enteral vs. intravenous rehydration therapy for children with gastroenteritis: a meta-analysis of randomized controlled trials. *Arch Pediatr Adolesc Med* 158: 483, 2004.
23. Duggan C, Santosham M, Glass RI: The management of acute diarrhea in children: oral rehydration, maintenance and nutritional therapy. *MMWR Recomm Rep* 41(RR-16): 1, 1992.
24. Moineau G, Newman J: Rapid intravenous rehydration in the pediatric emergency department. *Pediatr Emerg Care* 6(3): 186, 1990.
25. Nager AL, Wang VJ: Comparison of ultra rapid intravenous hydration and rapid intravenous hydration in pediatric patients with acute dehydration. *Am J Emerg Med* 28(2): 123, 2010.
26. Gremse DA: Effectiveness of nasogastric rehydration in hospitalized children with acute diarrhea. *J Ped Gastroent Nutr* 21: 145, 1995.
27. Nager AL, Wang VJ: Comparison of nasogastric and intravenous methods of rehydration in pediatric patients with acute dehydration. *Pediatrics* 109: 566, 2002.
28. Levy JA, Bachur RG: Intravenous dextrose during outpatient rehydration in pediatric gastroenteritis. *Acad Emerg Med* 14: 324, 2007.
29. Thomas NJ, Carcillo JA: Hypovolemic shock in pediatrics patients. *New Horiz* 6(2): 120, 1998.
30. Carcillo J, Davis AL, Zaritsky A: Role of early fluid resuscitation in pediatric septic shock. *JAMA* 266: 1242, 1991.
31. King CK, Glass R, Bresee JS, et al: Managing acute gastroenteritis among children: oral rehydration, maintenance and nutritional therapy. *MMWR Recomm Rep* 52(RR-16): 1, 2003.

USEFUL WEB RESOURCES

Treatment of diarrhea, World Health Organization—<http://whqlibdoc.who.int/publications/2005/9241593180.pdf>